AUTHOR INDEX

(D) Denotes Demonstration, (C) Communications, (PC) Poster Communications, (T) Title only

ABRAHAMS V.C. & CLINTON R.J. Unit responses in the superior colliculus of the chloralose-anaesthetized cat: projections from vibration-sensitive receptors. (C) 48*P*

ADAMS L., GUZ A., HAMILTON R.D., INNES J.A. & MURPHY K. Beat-by-beat changes in stroke volume during the respiratory cycle in conscious man. (C) 128*P*

ADAMSON T.P. & BURGER R.E. Intrapulmonary chemoreceptor responses to static P_{CO_2} following acute metabolic alkalosis in the Pekin duck (*Anas platyrhynchos*). (C) 108*P*

ADAMS T. & HEISEY S.R. Ventilation and sensitivity to induced hypercapnia related to convective effects of ventriculocisternal perfusion and brain blood flow in the cat. (C) 107*P*

ADCOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Sexual dimorphism of neonatal rat brain mRNA-directed protein synthesis *in vitro*: effects of oestradiol benzoate. (C) 177*P*

ADOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Effects of orchidectomy on prostate gland and thymus of young adult and 18-month-old rats. (PC) 281*P*

AHSAN M.A. & NAFTALIN R.J. Control of fluid secretion by presynaptic inhibition of acetylcholine release in the isolated rabbit intestine. (C) 139*P*

ALLEN A., CARROLL N.J.H. & HIRST B.H. Gastric mucus in the anaesthetized rat: response to secretin, prostaglandin, ethanol and pepsin. (C) 135*P*

ALLEN T.J.A. Actions of external and internal D-890 and TMB-8 on Ca channel currents in single barnacle muscle fibres. (PC) 265*P*

ALLEN W.R., VOLSEN S.G. & WHYTE A. Cell–cell interactions associated with blastocyst implantation in equids. (PC) 204*P*

AL-SENDI Aneesa, FORSLING Mary L., KHAN M. & PEYSNER K. Fluid balance in cycling rats and ovariectomized rats treated with oestradiol benzoate. (C) 189*P*

AMASSIAN V.E. & EBERLE L. Muscle spindle projections to feline thalamic neurones identified by local arterial injection of succinylcholine. (C) 43*P*

ANAGNOSTELIS C., BLOMQUIST T. & PRIOLA D.V. Qualitative differences in atrial and ventricular inotropic responses to cholinergic stimulation in the dog. (PC) 252*P*

ANAND Ashima, PAINTAL A.S. & WHITTERIDGE D. Phosgene stimulates J receptors and produces increased respiratory drive in cats. (C) 109*P*

ANDERSON J., GABBOTT P., MARTIN K. & WHITTERIDGE D. The function and intracortical connectivity of a Meynert cell in area 17 of the cat visual cortex. (C) 41*P*

ANDERSON L.C., GARRETT J.R. & THULIN A. Parotid gland function and nerves in streptozotocin-diabetic rats. (C) 130*P*

ANDERSON Shelagh, BIRCH P. & FILLENZ Marianne The role of presynaptic receptors in neuronal plasticity in the rat. (C) 60*P*

ANGEL A. & POLLARD C.E. Cortical evoked responses during changes in electrocortical activity in the rat. (C) 45*P*

ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

ARDELL J.L., GEIS G.S., RANDALL W.C. & WURSTER R.D. Selective innervation of sinoatrial and atrioventricular nodes in the canine heart. (C) 66*P*

ARMSTRONG D.J., KAY I.S. & RUSSELL N.J.W. The pulmonary chemoreflexes evoked by phenyl biguanide, diguanide and guanidine in anaesthetized rabbits. (C) 115*P*

ARTHUR S.K. & GREEN R. Fluid reabsorption by the proximal convoluted tubule of the kidney in lactating rats. 267

ART J.J., CRAWFORD A.C. & FETTIPLACE R. A method for measuring cellular movements less than the wavelength of light. (D) 18*P*

ASHFORD M.L.J. Single chloride channel currents in cultured rat epididymal cells. (C) 142*P*

ASHLEY C.C., GRIFFITHS P.J. & RAKOWSKI R.F. Gating current in giant barnacle (*Balanus nubilus*) muscle fibres. (PC) 268*P*

ASHMORE J.F. & MEECH R.W. Three distinct potassium channels in outer hair cells isolated from the guinea-pig cochlea. (C) 29*P*

ASKING B. & GJÖRSTRUP P. On regulation of amylase synthesis by nerve stimulation in the rat parotid gland. (C) 131*P*

ATHERTON J.C., BOBINSKI H. & SOLOMON L. Plasma atrial natriuretic peptide (ANP) and renal function during extracellular fluid volume expansion in man. (PC) 246*P*

ATTWELL D., MOBBS Peter, TESSIER-LAVIGNE M. & WILSON M. Noise changes associated with the action of glutamate on retinal bipolar cells from the salamander (*Ambystoma mexicanum*). (C) 39*P*

ATTWELL David, BREW Helen, GRAY Peter & MOBBS Peter Single potassium channels in Müller cells of the salamander retina. (C) 35*P*

AUGOOD S., DIEZ-GUERRA F.J., DYER R.G. & EMSON P.C. Evidence for opioid inhibition of noradrenaline (NA) release in the medial preoptic area (MPOA) of female rats. (PC) 213*P*

AZHAR S., MONDON C.E. & REAVEN G.M. Differential responsiveness to adrenaline by slow- and fast-twitch rat skeletal muscle with increase in age. (C) 173*P*

BAGUST J. A communication system for the disabled using the electro-oculogram and the BBC microcomputer. (D) 21*P*

BAHINSKI A., CAPOGROSSI M.C., HOUSER S.R. & LAKATTA E.G. Multifocal spontaneous Ca^{2+} release can trigger a spontaneous action potential in single rat cardiac myocytes. (C) 196*P*

BAKER Jean R. *see* DATTA A.K., BAKER Jean R. & STEPHENS J.A. A new technique to assess the ongoing short-term synchronization in individual motor units during different voluntary movements in man. (D) 19*P*

BAKER P.F., GRAFENSTEIN H.R.K. v. & ROBERTS C.S. Membrane retrieval following stimulation of exocytosis in cultured bovine adrenal medullary cells: lack of effect of extracellular Ca (C) 156*P*

BAKER S.P. & POSNER P. Cardiac effects of chronic ethanol ingestion in the ageing rat. (C) 81*P*

BAKHLE Y.S. & GRANTHAM C.J. Decreased adenosine uptake and metabolism in isolated lungs of rats precedes pulmonary oedema induced by *a*-naphthylthiourea (ANTU). (C) 126*P*

BALDWIN B.A., HEAVENS R.P., KENDRICK K.M., PARROTT R.F., SHARMAN D.F. & THORNTON S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

BALDWIN B.A. & KENDRICK K.M. A method for recording single-unit neuronal activity in conscious sheep. (D) 10*P*

BALDWIN B.A., COOPER T.R., HEAVENS R.P., KENDRICK K.M. & SHARMAN D.F. A method for neurochemical sampling, using intracranial dialysis, in the conscious sheep. (D) 11*P*

BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Differential changes in the synaptic rhythm of caudal medullary expiratory bulbospinal neurones in response to hypothalamic stimulation in the cat. (C) 117*P*

BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

BANKS D., HARRIS M.C. & STOKES W.N. Carotid body chemoreceptor stimulation in rats activates large areas of the forebrain but not the hypothalamus. (C) 114*P*

BARATTINI M. *see* BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

BARER Gwenda, BEE Denise, EMERY Celia & WACH R.A. Changed site of pulmonary vasoconstriction in chronically hypoxic rats. (C) 127*P*

BARINOV I., DODGSON S.J., FORSTER R.E., ITADA N. & LIN L. Graded inhibition of intracellular carbonic anhydrase activity in human red blood cells. (C) 159*P*

BARTSCHAT D.K. & BLAUSTEIN M.P. Certain 'sigma' opiate stereoisomer pairs have opposite actions on potassium (K) permeabilities in rat presynaptic nerve terminals. (C) 202*P*

BASSET Guy, CRONE Christian & SAUMON Georges The rat alveolar membrane – an epithelium performing sodium-coupled water absorption. (C) 168*P*

BAUMANN C., NÖLL G.N. & SCHMIDT K.-F. Slow changes of the membrane potential and photoresponses of isolated frog retinal rods investigated by the whole-cell patch clamp technique. (C) 34*P*

BAUMANN K.I., HAMANN W. & LEUNG M.S. Mechanical properties of skin and responsiveness of slowly adapting type I mechanoreceptors in rats at different ages. 329

BAUMANN K.I., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. Responsiveness and ultrastructure of slowly adapting type I cutaneous mechanoreceptors in vitamin A deficient rats. 339

BAUMANN K.I., HAMANN W. & LEUNG M.S. Stimulus-response properties of SA1 mechanoreceptors (touch corpuscles) in rats at different ages. (C) (T) 203*P*

BAXTER J.D., GARDNER D.G., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Role of atrial natriuretic peptide (ANP) in mineralocorticoid escape in the dog. (PC) 249*P*

BAYLOR D.A. & NUNN B.J. Electrical properties of the light-sensitive conductance of rods of the salamander *Ambystoma tigrinum*. 115

BEADLE C.A., BEADLE D.J., PICHON Y. & SHIMAHARA T. Patch-clamp and noise analysis studies of cholinergic properties of cultured cockroach neurones. (C) 145*P*

BEADLE D.J. *see* BEADLE C.A., BEADLE D.J., PICHON Y. & SHIMAHARA T. Patch-clamp and noise analysis studies of cholinergic properties of cultured cockroach neurones. (C) 145*P*

BEADLE D.J., BENSON J.A., LEES G. & NEWMAN R. Flunitrazepam and pentobarbital modulate GABA responses of insect neuronal somata. (PC) 273*P*

BEE Denise *see* BARER Gwenda, BEE Denise, EMERY Celia & WACH R.A. Changed site of pulmonary vasoconstriction in chronically hypoxic rats. (C) 127*P*

BELL F.R., DAVIES Eleanor, EDWARDS C.R.W. & WILLIAMS B.C. The relation of endogenous angiotensin and aldosterone to inhibition by captopril of salt appetite evoked in steers. (C) 188*P*

BENCHERIF M., BERNE R.M. & RUBIO R. The release of purines by the frog sympathetic ganglion is the result of activation of postsynaptic elements. (PC) 274*P*

BENHAM C.D., BOLTON T.B., LANG R.J. & TAKEWAKI T. Calcium-activated potassium channels in single smooth muscle cells of rabbit jejunum and guinea-pig mesenteric artery. 45

BENHAM C.D. & BOLTON T.B. Modulation of transient outward currents by internal calcium in single visceral and vascular smooth muscle cells of rabbit. (C) 199*P*

BENNETT T., FOULKES R. & GARDINER S.M. Daily variations in B.P. during adrenal regeneration in rats. (C) 93*P*

BENNETT T. & GARDINER S.M. Factors influencing the maintenance of blood pressure in salt-maintained adrenalectomized rats. (PC) 245*P*

BENSON J.A. *see* BEADLE D.J., BENSON J.A., LEES G. & NEWMAN R. Flunitrazepam and pentobarbital modulate GABA responses of insect neuronal somata. (PC) 273*P*

BERLIN J.R., CANNELL M.B., GOLDMAN W.F., LEDERER W.J., MARBAN E. & WIER W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

BERNARD Christian, FERRARY Evelyne & STERKERS Olivier Production of endolymph in the semicircular canal of the frog *Rana esculenta*. 17

BERNE R.M. *see* BENCHERIF M., BERNE R.M. & RUBIO R. The release of purines by the frog sympathetic ganglion is the result of activation of postsynaptic elements. (PC) 274*P*

BERRIDGE M. & RUBIO R. Inhibition by extracellular K^+ (K_o) on the rate of PI turnover in the 5-HT-stimulated blow fly salivary gland. (PC) 225*P*

BIANCHI S. *see* BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

BICKNELL R.J., LENG G. & RUSSELL J.A. A model system for the study of morphine dependence and withdrawal in identified peptidergic neurones in the rat. (D) 4*P*

BICKNELL R.J., INGRAM C.D. & MASON W.T. Techniques for recording electrical activity of normal bovine pituitary lactotrophs. (D) 6*P*

BICKNELL R.J., DIEZ-GUERRA F.J., DYER R.G., EMSON P.C. & PENNY Jacqueline C. Catecholamine release from isolated hypothalamic nuclei of the rat. (D) (T) 26*P*

BICKNELL R.J., DYER R.G., MANSFIELD Sandra & MARSH M.I.C. Opioid binding in the rat hypothalamus is sexually differentiated. (PC) 212*P*

BICKNELL R.J. & PENNY Jacqueline C. Opioids inhibit noradrenaline release in rat supraoptic nucleus and neurohypophysis. (PC) 215*P*

BIGLAND-RITCHIE B., CAFARELLI E.J., JOHANSSON R.S. & WOODS J.J. Human E.m.g. and motoneurone discharge rates during sustained submaximal contractions. (C) 54*P*

BIRCH P. *see* ANDERSON Shelagh, BIRCH P. & FILLENZ Marianne The role of presynaptic receptors in neuronal plasticity in the rat. (C) 60*P*

BISSONNETTE J.M. & HOHIMER A.R. The effect of anaemia on fetal cerebral blood flow and oxygenation. (PC) 280*P*

BLACK J.A., FORTE J.G. & HIRST B.H. Orientation of $(H^+ + K^+)$-ATPase membrane vesicles from rabbit resting and stimulated gastric mucosa. (C) 136*P*

BLACKSHAW Susanna E. & THOMPSON S.W.N. Hyperpolarizing responses to stretch in neurones innervating body wall muscle in the leech. (C) 58*P*

BLAKELEY Diane M., BROWN K.D., CARR J., CORPS A. N. & REES Lesley H. Stimulation of cell growth by polypeptide growth factors in human mammary secretions. (PC) 206*P*

BLAKESLEE B., HOWARD J. & LAUGHLIN S.B. The upper limit to photoreceptor signal-to-noise ratio in insects. (C) (T) 203*P*

BLANDINA P. *see* BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

BLAUSTEIN M.P. *see* BARTSCHAT D.K. & BLAUSTEIN M.P. Certain 'sigma' opiate stereoisomer pairs have opposite actions on potassium (K) permeabilities in rat presynaptic nerve terminals. (C) 202*P*

BLEAKMAN D. & NAFTALIN R.J. Modulation of acetylcholine release from isolated rabbit small intestinal submucosa by fluoride and lidamidine. (PC) 226*P*

BLISSARD D., MUALLEM S. & SACHS G. Cytosolic pH regulation of the resting and stimulated isolated gastric parietal cell from the rabbit. (C) 151*P*

BLOMQUIST T. *see* ANAGNOSTELIS C., BLOMQUIST T. & PRIOLA D.V. Qualitative differences in atrial and ventricular inotropic responses to cholinergic stimulation in the dog. (PC) 252*P*

BOBINSKI H. *see* ATHERTON J.C., BOBINSKI H. & SOLOMON L. Plasma atrial natriuretic peptide (ANP) and renal function during extracellular fluid volume expansion in man. (PC) 246*P*

BOLAM P.G., IMMS F.J., LEE Wen-Sen, LUDLOW P.G. & PARFETT Greta Blood flow following occlusion of the circulation to the human forearm. (C) 73*P*

BOLTON T.B. *see* BENHAM C.D., BOLTON T.B., LANG R.J. & TAKEWAKI T. Calcium-activated potassium channels in single smooth muscle cells of rabbit jejunum and guinea-pig mesenteric artery. 45

BOLTON T.B. *see* BENHAM C.D. & BOLTON T.B. Modulation of transient outward currents by internal calcium in single visceral and vascular smooth muscle cells of rabbit. (C) 199*P*

BOULANT J.A. & DEAN J.B. Local synaptic networks involved in neuronal thermosensitivity in hypothalamic tissue slices. (PC) 279*P*

BOWSER-RILEY F. & PRICE D.J. A remotely controlled revolving injection apparatus to investigate the actions of anaesthetic agents under hyperbaric conditions. (D) 17*P*

BOYD C.A.R., GIBSON K., SHENNAN D.B. & WEBB K.L. Sulphate transport by human placental microvillus brush border membrane vesicles. (C) 167*P*

BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Effect of chloride replacement on the electrical activity of the pig placenta *in vitro*. (PC) 270*P*

BOYETT M.R., LEVI A.J. & ROBERTS A. The decline in the response to acetylcholine (ACh) mediated by the muscarinic cholinoceptor of the rabbit sino-atrial node: a biphasic process. (C) 198*P*

BOYETT M.R., HART G. & LEVI A.J. Dissociation between force and intracellular Na activity (a^i_{Na}) caused by strophanthidin and bathing K^+ in isolated voltage-clamped sheep Purkinje fibres. (PC) 262*P*

BREDENBERG C.E. & NIEMAN G.F. The relationship between changes in lung volume and subpleural alveolar surface area, volume and number in the dog. (PC) 232*P*

BRENDENBERG C.E., CLARK W.R., GOYETTE D.A., HART A.K. & NIEMAN G.F. The effect of wood smoke inhalation on canine pulmonary endothelial permeability. (PC) 242*P*

BREUHAUS B.A., CHIMOSKEY J.E., SANEII H.H., SPARKS H.V. & WANGLER R.D. Synthetic (23-amino acid) atrial natriuretic peptide lowers cardiac output in conscious sheep and constricts coronary arteries in isolated guinea-pig hearts. (C) 82*P*

BREW Helen *see* ATTWELL David, BREW Helen, GRAY Peter & MOBBS Peter Single potassium channels in Müller cells of the salamander retina. (C) 35*P*

BRIGGS-DOKUBO S.T., LARKE J.R. & WIGHAM C.G. A method for the collection of human corneal-derived lactate *in vivo*. (C) 166*P*

BRIGSTOCK D.R., BROWN K.D. & HEAP R.B. Epidermal growth factor receptors in pig extra-embryonic membrane. (PC) 207*P*

BRODSKY W.A., DURHAM J.H. & MATONS C. Regulation of alkali excretion in the turtle. (C) 100*P*

BROOKS A.N., HAYNES N.B. & LAMMING G.E. Opioid peptides modulate luteinizing hormone secretion throughout the oestrous cycle in the ewe. (C) 178*P*

BROOKS A.N., HAYNES N.B., LAMMING G.E. & YANG K.P. The effects of ovarian steroids upon opioid mediated LH suppression in the ewe. (C) 179*P*

BROOKS D.P., CROFTON Joan T. & SHARE L. The metabolic clearance rate for vasopressin and the pressor responsiveness to vasopressin in conscious male and female rats. (C) 90*P*

BROOKS D.P., CROFTON Joan T. & SHARE L. The role of brain prostaglandins in osmotic-induced vasopressin secretion in the rat. (C) 92*P*

BROWN H. *see* BURNS S., BROWN H., GOODWIN J. & KAISER W.C. Shoulder stabilization, the spinal accessory nerve and the trapezius muscle in man. (C) 55*P*

BROWN K.D. *see* BLAKELEY Diane M., BROWN K.D., CARR J., CORPS A.N. & REES Lesley H. Stimulation of cell growth by polypeptide growth factors in human mammary secretions. (PC) 206*P*

BROWN K.D. *see* BRIGSTOCK D.R., BROWN K.D. & HEAP R.B. Epidermal growth factor receptors in pig extra-embryonic membrane. (PC) 207*P*

BROWN K.D. & LAURIE M.S. Characterization of bombesin receptors on Swiss 3T3 mouse embryo fibroblasts. (PC) 210*P*

BRUNELLESCHI Sandra *see* BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

BRUNS Wolfgang, DERMIETZEL Rolf & GROS Gerolf Carbonic anhydrase in the sarcoplasmic reticulum of rabbit skeletal muscle. 351

BURGER R.E. *see* ADAMSON T.P. & BURGER R.E. Intrapulmonary chemoreceptor responses to static P_{CO_2} following acute metabolic alkalosis in the Pekin duck (*Anas platyrhynchos*). (C) 108*P*

BURKE T.V., BURKI N.K. & KUNG M. The effects of histamine-induced bronchoconstriction on gas exchange in mild asthmatics. (PC) 239*P*

BURKI N.K. *see* BURKE T.V., BURKI N.K. & KUNG M. The effects of histamine-induced bronchoconstriction on gas exchange in mild asthmatics. (PC) 239*P*

BURN D.J., FEWELL J.E. & JOHNSON P. The role of the larynx in lambs with oleic acid-induced lung injury. (PC) 244*P*

BURNS S., BROWN H., GOODWIN J. & KAISER W.C. Shoulder stabilization, the spinal accessory nerve and the trapezius muscle in man. (C) 55*P*

BUSS T., EVANS M.H. & HEAD F.C. A respiratory valve unit for open-circuit anaesthesia of small animals. (D) 3*P*

BUTLER P.J., STEPHENSON R. & WOAKES A.J. Variability of the heart rate response during voluntary diving in the tufted duck, *Aythya fuligula*. (C) 69*P*

CAFARELLI E.J. *see* BIGLAND-RITCHIE B., CAFARELLI E.J., JOHANSSON R.S. & WOODS J.J. Human E.m.g. and motoneurone discharge rates during sustained submaximal contractions. (C) 54*P*

CALAM J. & MELDRUM L.A. Lorazepam inhibits the effects of cholecystokinin octapeptide on guinea-pig ileum but not on guinea-pig gall-bladder. (C) 140*P*

CAMPBELL-GROSSMAN C. *see* FARR L.A., CAMPBELL-GROSSMAN C., MACK J.M., LANGENBERG-PANZER S.L., PETERSEN M.J. & SMITH T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

CANNELL M.B. *see* BERLIN J.R., CANNELL M.B., GOLDMAN W.F., LEDERER W.J., MARBAN E. & WIER W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

CAPOGROSSI M.C. *see* BAHINSKI A., CAPOGROSSI M.C., HOUSER S.R. & LAKATTA E.G. Multifocal spontaneous Ca^{2+} release can trigger a spontaneous action potential in single rat cardiac myocytes. (C) 196*P*

CARLETON J.S., CATT J. & HARRISON F. Lynne Bone-marrow cultures as a model differentiating system. (D) (T) 27*P*

CARMELIET E. & MUBAGWA K. Changes by acetylcholine of membrane currents in rabbit cardiac Purkinje fibres. 201

CARMELIET E. & MUBAGWA K. Characterization of the acetylcholine-induced potassium current in rabbit cardiac Purkinje fibres. 219

CARMELIET E. & MUBAGWA K. Desensitization of the acetylcholine-induced increase of potassium conductance in rabbit cardiac Purkinje fibres. 239

CARO C.G., JAY M. & LEVER M.J. Labelled albumin uptake by rabbit aorta, pulmonary artery and common carotid artery. (C) 85P

CARR J. *see* BLAKELEY Diane M., BROWN K.D., CARR J., CORPS A. N. & REES Lesley H. Stimulation of cell growth by polypeptide growth factors in human mammary secretions. (PC) 206P

CARROLL N.J.H. *see* ALLEN A., CARROLL N.J.H. & HIRST B.H. Gastric mucus in the anaesthetized rat: response to secretin, prostaglandin, ethanol and pepsin. (C) 135P

CASSIDY Marie M., FITZPATRICK L., LE T. & VAHOUNY G.V. Characteristics of enterocyte adaptation in the jejunum and colon of weanling rats fed a variety of semi-purified dietary fibres. (PC) 229P

CASSIN S., DYER R., GAUSE G. & PERKS A.M. The effects of loop diuretics and ouabain on lung liquid secretion in fetal sheep and guinea-pig. (PC) 240P

CATT J. *see* CARLETON J.S., CATT J. & HARRISON F. Lynne Bone-marrow cultures as a model differentiating system. (D) (T) 27P

CERVETTO L., MCNAUGHTON P.A. & NUNN B.J. Aequorin signals from isolated salamander rods. (C) 36P

CHABALA Lee D., GURNEY Alison M. & LESTER Henry A. Dose–response of acetylcholine receptor channels opened by a flash-activated agonist in voltage-clamped rat myoballs. 407

CHAKRABORTY J., JHUNJHUNWALA J.S., NELSON L. & SINHA HIKIM A.P. Pathophysiology of human testis – mechanism of germ-cell degeneration. (C) (T) 203P

CHAN C.Y. & NICHOLSON C. Modulation by applied electric fields of Purkinje and stellate cell activity in the isolated turtle cerebellum. 89

CHENG-CHEW S.B. *see* BAUMANN K.I., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. Responsiveness and ultrastructure of slowly adapting type I cutaneous mechanoreceptors in vitamin A deficient rats. 339

CHIMOSKEY J.E. *see* BREUHAUS B.A., CHIMOSKEY J.E., SANEII H.H., SPARKS H.V. & WANGLER R.D. Synthetic (23-amino acid) atrial natriuretic peptide lowers cardiac output in conscious sheep and constricts coronary arteries in isolated guinea-pig hearts. (C) 82P

CLARK D.A., DWECK H.S. & ZEBALLOS G. Fluid response to osmotic agents and calcium in the isolated rabbit intestinal loop. (PC) 230P

CLARK W.R. *see* BRENDENBERG C.E., CLARK W.R., GOYETTE D.A., HART A.K. & NIEMAN G.F. The effect of wood smoke inhalation on canine pulmonary endothelial permeability. (PC) 242P

CLEMMONS D.R., FRIEDMAN M. & VENDER R.L. Pulmonary endothelial cells in culture produce a vascular smooth-muscle cell mitogen(s) in response to hypoxia. (PC) 241P

CLINTON R.J. *see* ABRAHAMS V.C. & CLINTON R.J. Unit responses in the superior colliculus of the chloralose-anaesthetized cat: projections from vibration-sensitive receptors. (C) 48P

CLOWER B.R., DOUGLAS B.H., HAINING J.L. & SMITH R.R. Role of blood platelets in cerebral haemorrhagic arteriopathy in the cat. (C) 80P

COBBETT P., INGRAM C.D. & MASON W.T. Is hormone secretion independent of Na^+ action potentials in bovine lactotrophs? (C) 185P

COBBETT P., MASON W.T. & POULAIN D.A. Intracellular analysis of control of rat supraoptic neurone (SON) activity *in vitro* by acetylcholine (ACh). (PC) 216P

COBBETT P., INGRAM C.D. & MASON W.T. Activation and inactivation of sodium and calcium currents in bovine lactotrophs. (PC) 267P

COFFMAN J.R., DEBOWES R.M., ERICKSON H.H., SEXTON W.L. & SIGLER D.H. Effects of training on cardiovascular function in the American Quarter horse. (C) 78P

COGNARD C., LAZDUNSKI M. & ROMEY G. Contribution of the apamin-sensitive Ca^{2+}-activated K^+ current in the 'apparent' inactivation of the Ca^{2+} current in mammalian skeletal muscle. (PC) 263P

COGNARD C., LAZDUNSKI M. & ROMEY G. Different types of voltage-dependent calcium channels in rat skeletal muscle cells in culture: electrophysiological and pharmacological properties. (PC) 264P

COHEN I.S., DATYNER N.B., GINTANT G.A., JOHNSON S.J., MULRINE N.K. & PENNEFATHER P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190P

COHEN M.I., SEE W.R. & SICA A.L. Factors influencing the inspiratory–facilitatory response to lung inflation in the decerebrate cat. (PC) 237P

COLE J.D., PHILIP H.I. & SEDGWICK E.M. An effect of unilateral frontoparietal cortical lesions on ipsilateral as well as contralateral digit tremor in man. (C) 53P

COLEMAN G.S. & MUNN E.A. Cell-cell recognition in the selection of prey by the rumen ciliate *Polyplastron*. (D) (T) 27P

CONWAY J., SLEIGHT P. & SOMERS V.K. The effect of sleep and physical training on heart period in man. (C) 77P

Cooper T.R. *see* Baldwin B.A., Cooper T.R., Heavens R.P., Kendrick K.M. & Sharman D.F. A method for neurochemical sampling, using intracranial dialysis, in the conscious sheep. (D) 11*P*

Cooper T.R. & Sharman D.F. A fluorimetric method for the estimation of acetylcholinesterase activity in small volumes of cerebrospinal fluid using acetylcholine as substrate. (D) 12*P*

Corps A. N. *see* Blakeley Diane M., Brown K.D., Carr J., Corps A. N. & Rees Lesley H. Stimulation of cell growth by polypeptide growth factors in human mammary secretions. (PC) 206*P*

Cotter T., Finn Martha, Gebruers Elizabeth M. & Hall W.J. Changes in plasma volume and vasopressin in humans drinking fluids isosmotic with plasma. (C) 88*P*

Courneya C.A., Ledsome J.R., Rankin A.J. & Wilson N. Tachycardia releases immunoreactive atrial natriuretic peptide in the rabbit. (PC) 250*P*

Cox G.E., Dashwood M.R., Jordan D. & Spyer K.M. An autoradiographic and ionophoretic study of muscarinic receptors in the dorsomedial medulla of the rabbit. (C) 119*P*

Crawford A.C. *see* Art J.J., Crawford A.C. & Fettiplace R. A method for measuring cellular movements less than the wavelength of light. (D) 18*P*

Crofton Joan T. *see* Brooks D.P., Crofton Joan T. & Share L. The metabolic clearance rate for vasopressin and the pressor responsiveness to vasopressin in conscious male and female rats. (C) 90*P*

Crofton Joan T. *see* Brooks D.P., Crofton Joan T. & Share L. The role of brain prostaglandins in osmotic-induced vasopressin secretion in the rat. (C) 92*P*

Crone Christian *see* Basset Guy, Crone Christian & Saumon Georges The rat alveolar membrane – an epithelium performing sodium-coupled water absorption. (C) 168*P*

Cross B.A., Poulain D.A., Theodosis Dennise T. & Vincent J.D. A videotape for teaching the principles of the milk-ejection reflex. (D) (T) 26*P*

Cross Brenda A. *see* Annastasiades E., Cross Brenda A., Guz A., Leaver Kathryn D., Murphy K., Phillips M., Semple S.J.G. & Stidwill R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

Cull-Candy S.G., Mathie A. & Powis D.A. Influence of the α-adrenoceptor agonist clonidine on single acetylcholine-receptor channels in bovine chromaffin cells. (C) 157*P*

Curtin N.A. Effect of CO_2 on force during isometric tetanus of isolated skeletal muscle from the frog. (C) 172*P*

Cutting R., Fitzsimons N., Gosden R.G., Humphreys E.M., Russell J.A., Scott S. & Stirland J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

Dabney J.M. & Dobbins D.E. Perfused pre-nodal lymphatic vessels in the canine forelimb constrict in response to dopamine. (C) 83*P*

Dashwood M.R. *see* Cox G.E., Dashwood M.R., Jordan D. & Spyer K.M. An autoradiographic and ionophoretic study of muscarinic receptors in the dorsomedial medulla of the rabbit. (C) 119*P*

Datta A.K., Baker Jean R. & Stephens J.A. A new technique to assess the ongoing short-term synchronization in individual motor units during different voluntary movements in man. (D) 19*P*

Datyner N.B. *see* Cohen I.S., Datyner N.B., Gintant G.A., Johnson S.J., Mulrine N.K. & Pennefather P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190*P*

Dauncey M.J., Ingram D.L., Osborne J.E. & Toner J.N. Radiotelemetry of deep body temperature from one piglet within a group. (D) 8*P*

Dauncey M.J., Greenwood C.A., Ingram D.L. & Munn E.A. Changes in porcine muscle mitochondria induced by environmental temperature and energy intake. (PC) 220*P*

Davies Eleanor *see* Bell F.R., Davies Eleanor, Edwards C.R.W. & Williams B.C. The relation of endogenous angiotensin and aldosterone to inhibition by captopril of salt appetite evoked in steers. (C) 188*P*

Davies R.O., Kubin L. & Pack A.I. Contralateral projections of pump neurones of the nucleus of the solitary tract in the cat. (C) 118*P*

Davis A.J. & Fleet I.R. Cardiovascular responses to exogenous growth hormone in the conscious sheep (D) (T) 26*P*

Davis P., Macefield G. & Nail B. Activation of single laryngeal motoneurones during asphyxic gasping in the anaesthetized rabbit. (C) 120*P*

Dean J.B. *see* Boulant J.A. & Dean J.B. Local synaptic networks involved in neuronal thermosensitivity in hypothalamic tissue slices. (PC) 279*P*

DeBowes R.M. *see* Coffman J.R., DeBowes R.M., Erickson H.H., Sexton W.L. & Sigler D.H. Effects of training on cardiovascular function in the American Quarter horse. (C) 78*P*

DEITMER J.W. & SCHLUE W.R. Measurement of intracellular pH in identified leech glial cells using double-barrelled micro-electrodes. (C) 154*P*

DEJOURS P. Effect of ambient chloride concentration changes in the haemolymph acid-base balance of the crayfish, *Procambarus clarkii*, exposed to various environmental conditions. (C) 87*P*

DÉLÈZE J., LAZRAK A. & RAKOTONIRINA V.S. Isolation of the tubular action potential in the frog skeletal muscle fibre. (C) 149*P*

DEMPSTER J. & MASON W.T. Semi-automated computer analysis of single ion channel recordings. (D) (T) 26*P*

DERMIETZEL Rolf *see* BRUNS Wolfgang, DERMIETZEL Rolf & GROS Gerolf Carbonic anhydrase in the sarcoplasmic reticulum of rabbit skeletal muscle. 351

DE WEER Paul, GADSBY David C. & RAKOWSKI R.F. Voltage dependence of Na/K pump-mediated ^{22}Na efflux and current in squid giant axon. (C) 144*P*

DIEZ-GUERRA F.J. *see* BICKNELL R.J., DIEZ-GUERRA F.J., DYER R.G., EMSON P.C. & PENNY Jacqueline C. Catecholamine release from isolated hypothalamic nuclei of the rat. (D) (T) 26*P*

DIEZ-GUERRA F.J. *see* AUGOOD S., DIEZ-GUERRA F.J., DYER R.G. & EMSON P.C. Evidence for opioid inhibition of noradrenaline (NA) release in the medial preoptic area (MPOA) of female rats. (PC) 213*P*

DILLON P.F. Free intracellular Mg^{2+} in relaxed and contracted isolated porcine carotid arteries. (C) 161*P*

DOBBINS D.E. *see* DABNEY J.M. & DOBBINS D.E. Perfused pre-nodal lymphatic vessels in the canine forelimb constrict in response to dopamine. (C) 83*P*

DODGSON S.J. *see* BARINOV I., DODGSON S.J., FORSTER R.E., ITADA N. & LIN L. Graded inhibition of intracellular carbonic anhydrase activity in human red blood cells. (C) 159*P*

DOUGLAS B.H. *see* CLOWER B.R., DOUGLAS B.H., HAINING J.L. & SMITH R.R. Role of blood platelets in cerebral haemorrhagic arteriopathy in the cat. (C) 80*P*

DRAY A. & NUNAN L. Separate supra-spinal and spinal mechanisms mediate morphine-induced inhibition of reflex urinary bladder contractions in the rat. (PC) 258*P*

DREIFUSS J.J., RAGGENBASS M. & WUARIN J.-P. Tachykinins excite non-pyramidal neurones in rat hippocampus. (C) 50*P*

DUPRE R.K., HARTLEY R.S., HICKS J.W., MARTINEZ M.J. & WOOD S.C. The effect of hypoxia on temperature regulation: a comparative study. (PC) 222*P*

DURHAM J.H. *see* BRODSKY W.A., DURHAM J.H. & MATONS C. Regulation of alkali excretion in the turtle. (C) 100*P*

DWECK H.S. *see* CLARK D.A., DWECK H.S. & ZEBALLOS G. Fluid response to osmotic agents and calcium in the isolated rabbit intestinal loop. (PC) 230*P*

DYBALL R.E.J. & MASON W.T. Patch-clamp recordings of stimulus-related ion channel activity in nerve terminals of the rat neurohypophysis. (D) (T) 27*P*

DYBALL R.E.J. & LENG G. Activation of oxytocin neurones influences the periodicity of reflex milk ejection in the rat. (C) 184*P*

DYER R. *see* CASSIN S., DYER R., GAUSE G. & PERKS A.M. The effects of loop diuretics and ouabain on lung liquid secretion in fetal sheep and guinea-pig. (PC) 240*P*

DYER R.G. *see* BICKNELL R.J., DIEZ-GUERRA F.J., DYER R.G., EMSON P.C. & PENNY Jacqueline C. Catecholamine release from isolated hypothalamic nuclei of the rat. (D) (T) 26*P*

DYER R.G. & HOLLINGSWORTH Sharon Effect of naloxone on the response of identified rat preoptic neurones to electrical stimulation of the ventral noradrenergic tract. (D) (T) 26*P*

DYER R.G. & HOLLINGSWORTH S. The effect of fasting in female rats on the electrical activity of preoptic and anterior hypothalamic (PO/AH) neurones and their response to ventral noradrenergic tract (VNAT) stimulation. (C) 187*P*

DYER R.G. *see* BICKNELL R.J., DYER R.G., MANSFIELD Sandra & MARSH M.I.C. Opioid binding in the rat hypothalamus is sexually differentiated. (PC) 212*P*

DYER R.G. *see* AUGOOD S., DIEZ-GUERRA F.J., DYER R.G. & EMSON P.C. Evidence for opioid inhibition of noradrenaline (NA) release in the medial preoptic area (MPOA) of female rats. (PC) 213*P*

EBERLE L. *see* AMASSIAN V.E. & EBERLE L. Muscle spindle projections to feline thalamic neurones identified by local arterial injection of succinylcholine. (C) 43*P*

EBERT T.J., ECKBERG D.L. & SPRENKLE J.M. The importance of neural-cardiac regulation in the control of blood pressure during vasopressin infusions in man. (C) 91*P*

ECKBERG D.L. *see* EBERT T.J., ECKBERG D.L. & SPRENKLE J.M. The importance of neural-cardiac regulation in the control of blood pressure during vasopressin infusions in man. (C) 91*P*

EDGLEY S.A. & GALLIMORE C.M. Morphology of dorsal horn spinocerebellar tract neurones in the cat. (C) 56*P*

EDGLEY S.A. & JANKOWSKA E. Functional properties of dorsal horn spinocerebellar tract neurones in the cat. (C) 57*P*

EDWARDS A.V., GARRETT J.R., LIAO J. & SMITH R.E. Testing for possible movement of kallikrein to the blood from submandibular glands on nerve stimulation in cats. (C) 97*P*

EDWARDS C.R.W. *see* BELL F.R., DAVIES Eleanor, EDWARDS C.R.W. & WILLIAMS B.C. The relation of endogenous angiotensin and aldosterone to inhibition by captopril of salt appetite evoked in steers. (C) 188*P*

EDWARDS R.H.T., GIBSON H. & HAYWARD M. Effects of muscle length on fatiguability of the adductor pollicis in man. (PC) 259*P*

EHRENFELD J. & HARVEY B.J. Bicarbonate ion transport across basolateral membranes of frog skin epithelium. (C) 164*P*

ELLENDORFF F. & GROSSMANN R. A stereotaxic procedure for recording the electrical activity of neurones in chicken brains during the perinatal period. (D) 5*P*

ELLIS D. & NOIREAUD J. The changes of intracellular pH during hypoxia and recovery from hypoxia in cardiac tissue from ferret and sheep. (PC) 255*P*

ELLIS Susan T., HEAP R.B., PARIS Frances, STANLEY C.J. & WEBB Anne E. A rapid enzyme-amplified immunoassay for progesterone in bovine milk using a monoclonal antibody. (D) 2*P*

ELLORY J.C., FREEMAN C.J. & HALL A.C. Irradiation of cryopreserved red cells for membrane transport studies. (D) 20*P*

ELTRINGHAM L., O'BYRNE K.T. & SUMMERLEE A.J.S. Opioids, from the adrenal glands, may mediate relaxin inhibition of oxytocin release in lactating rats. (C) 183*P*

ELZINGA G. *see* VAN BEEK J.H.G.M. & ELZINGA G. Extravascular shunting of oxygen in the isolated saline-perfused rabbit heart. (C) 68*P*

ELZINGA G. & MAST F. Oxygen consumption following contraction of isolated rabbit papillary muscle at 20 °C. (C) 175*P*

EMERY Celia *see* BARER Gwenda, BEE Denise, EMERY Celia & WACH R.A. Changed site of pulmonary vasoconstriction in chronically hypoxic rats. (C) 127*P*

EMSON P.C. *see* BICKNELL R.J., DIEZ-GUERRA F.J., DYER R.G., EMSON P.C. & PENNY Jacqueline C. Catecholamine release from isolated hypothalamic nuclei of the rat. (D) (T) 26*P*

EMSON P.C. *see* AUGOOD S., DIEZ-GUERRA F.J., DYER R.G. & EMSON P.C. Evidence for opioid inhibition of noradrenaline (NA) release in the medial preoptic area (MPOA) of female rats. (PC) 213*P*

ENRIGHT J.T. Facilitation of vergence changes by saccades: influences of misfocused images and of disparity stimuli in man. 69

ERICKSON H.H. *see* COFFMAN J.R., DEBOWES R.M., ERICKSON H.H., SEXTON W.L. & SIGLER D.H. Effects of training on cardiovascular function in the American Quarter horse. (C) 78*P*

EVANS M.H. *see* BUSS T., EVANS M.H. & HEAD F.C. A respiratory valve unit for open-circuit anaesthesia of small animals. (D) 3*P*

FANTOZZI R. *see* BANI-SACCHI Tatiana, BARATTINI M., BIANCHI S., BLANDINA P., BRUNELLESCHI Sandra, FANTOZZI R., MANNAIONI P.F. & MASINI Emanuela The release of histamine by parasympathetic stimulation in guinea-pig auricle and rat ileum. 29

FARR L.A., CAMPBELL-GROSSMAN C., MACK J.M., LANGENBERG-PANZER S.L., PETERSEN M.J. & SMITH T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

FERRARY Evelyne *see* BERNARD Christian, FERRARY Evelyne & STERKERS Olivier Production of endolymph in the semicircular canal of the frog *Rana esculenta*. 17

FERREIRA H.G., FERREIRA Karin T.G. & GIRALDEZ F. Volume-induced changes in membrane potential in the stripped epithelium of the frog skin (*Rana ridibunda*). (C) 150*P*

FERREIRA Karin T.G. *see* FERREIRA H.G., FERREIRA Karin T.G. & GIRALDEZ F. Volume-induced changes in membrane potential in the stripped epithelium of the frog skin (*Rana ridibunda*). (C) 150*P*

FETTIPLACE R. *see* ART J.J., CRAWFORD A.C. & FETTIPLACE R. A method for measuring cellular movements less than the wavelength of light. (D) 18*P*

FEWELL J.E., SZABO J.S., TAYLOR B.J. & WILLIAMS B.J. Habituation of the arousal response to upper airway obstruction in lambs. (PC) 234*P*

FEWELL J.E. *see* BURN D.J., FEWELL J.E. & JOHNSON P. The role of the larynx in lambs with oleic acid-induced lung injury. (PC) 244*P*

FILLENZ Marianne *see* ANDERSON Shelagh, BIRCH P. & FILLENZ Marianne The role of presynaptic receptors in neuronal plasticity in the rat. (C) 60*P*

FINCHMAN D.A., MASON D.K. & YOUNG J.D. Chloride-activated sodium-dependent taurine transport in eel (*Anguilla japonica*) erythrocytes. (C) 162*P*

FINK G., MORRIS J.F. & PEARSON J.E. Augmented release of LH from gonadotrophs of androgen insensitive *tfm* mice. (C) 180*P*

FINN Martha *see* COTTER T., FINN Martha, GEBRUERS Elizabeth M. & HALL W.J. Changes in plasma volume and vasopressin in humans drinking fluids isosmotic with plasma. (C) 88*P*

FITZPATRICK Fenella T.A. *see* ADCOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Sexual dimorphism of neonatal rat brain mRNA-directed protein synthesis *in vitro*: effects of oestradiol benzoate. (C) 177*P*

FITZPATRICK Fenella T.A. *see* ADOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Effects of orchidectomy on prostate gland and thymus of young adult and 18-month-old rats. (PC) 281*P*

FITZPATRICK L. *see* CASSIDY Marie M., FITZPATRICK L., LE T. & VAHOUNY G.V. Characteristics of enterocyte adaptation in the jejunum and colon of weanling rats fed a variety of semi-purified dietary fibres. (PC) 229*P*

FITZPATRICK M. *see* HIGENBOTTAM T., JONES K., FITZPATRICK M. & WALLWORK J. The control of breathing following heart and lung transplantation in man. (C) 125*P*

FITZSIMONS N. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

FLEET I.R., HAMON Maureen & HEAP R.B. Role of uterine lymphatics in the countercurrent transfer of prostaglandin F_{2a} from the uterus to the ovary in the sheep. (D) (T) 26*P*

FLEET I.R. *see* DAVIS A.J. & FLEET I.R. Cardiovascular responses to exogenous growth hormone in the conscious sheep (D) (T) 26*P*

FLEET I.R., FULLERTON F.M. & MEPHAM T.B. Effects of exogenous growth hormone on mammary function in lactating Friesland ewes. (PC) 211*P*

FLINT A.P.F., SHELDRICK Elizabeth L., THEODOSIS Dennise T. & WOODING F.B.P. Storage of oxytocin and neurophysin in the secretory granules of ovine large luteal cells. (PC) 217*P*

FOËX P., LE WINTER M. & WAY B. The end-ejection pressure-length relationship: hysteresis after acute increases in afterload in the intact canine heart. (C) 65*P*

FORSLING Mary L. *see* AL-SENDI Aneesa, FORSLING Mary L., KHAN M. & PEYSNER K. Fluid balance in cycling rats and ovariectomized rats treated with oestradiol benzoate. (C) 189*P*

FORSTER R.E. *see* BARINOV I., DODGSON S.J., FORSTER R.E., ITADA N. & LIN L. Graded inhibition of intracellular carbonic anhydrase activity in human red blood cells. (C) 159*P*

FORTE J.G. *see* BLACK J.A., FORTE J.G. & HIRST B.H. Orientation of $(H^+ + K^+)$-ATPase membrane vesicles from rabbit resting and stimulated gastric mucosa. (C) 136*P*

FORTE J.G. & REENSTRA W.W. Potassium transport by bullfrog gastric mucosa. (C) 137*P*

FOULKES R. *see* BENNETT T., FOULKES R. & GARDINER S.M. Daily variations in B.P. during adrenal regeneration in rats. (C) 93*P*

FOZZARD H.A., HANCK D.A., MAKIELSKI J.C. & SHEETS M.F. Shift in inactivation and activation parameters of Na^+ current in internally dialysed canine cardiac Purkinje cells. (C) 194*P*

FREEMAN C.J. *see* ELLORY J.C., FREEMAN C.J. & HALL A.C. Irradiation of cryopreserved red cells for membrane transport studies. (D) 20*P*

FRIEDMAN M. *see* CLEMMONS D.R., FRIEDMAN M. & VENDER R.L. Pulmonary endothelial cells in culture produce a vascular smooth-muscle cell mitogen(s) in response to hypoxia. (PC) 241*P*

FRØKJAER-JENSEN J. & REESE T.S. Three-dimensional organization of the plasmalemmal vesicular system in directly frozen, freeze-substituted frog mesenteric capillaries. (C) 84*P*

FUCHS P.A. & MANN A.C. Voltage oscillations and ionic currents in hair cells isolated from the apex of the chick's cochlea. (C) 31*P*

FULLER C.M. & GALLACHER D.V. Agonist-evoked rise in $[Ca^{2+}]_i$ in rat submaxillary gland: direct demonstration by Quin 2. (C) (T) 203*P*

FULLERTON F.M. *see* FLEET I.R., FULLERTON F.M. & MEPHAM T.B. Effects of exogenous growth hormone on mammary function in lactating Friesland ewes. (PC) 211*P*

GABBOTT G.R.J. & JONES D.R. Psychogenic influences on the cardiac response of the duck (*Anas platyrhynchos*) to forced submersion. (C) 71*P*

GABBOTT P. *see* ANDERSON J., GABBOTT P., MARTIN K. & WHITTERIDGE D. The function and intracortical connectivity of a Meynert cell in area 17 of the cat visual cortex. (C) 41*P*

GADSBY David C. *see* DE WEER Paul, GADSBY David C. & RAKOWSKI R.F. Voltage dependence of Na/K pump-mediated ^{22}Na efflux and current in squid giant axon. (C) 144*P*

GADSBY David C. & NAKAO Masakazu Dependence of Na/K pump current on intracellular [Na] in isolated cells from guinea-pig ventricle. (C) 201*P*

GALLACHER D.V. & MORRIS A.P. Acetylcholine activation of K^+-channels in mouse submandibular acinar cells is largely dependent on extracellular calcium. (C) (T) 203*P*

GALLACHER D.V. *see* FULLER C.M. & GALLACHER D.V. Agonist-evoked rise in $[Ca^{2+}]_i$ in rat submaxillary gland: direct demonstration by Quin 2. (C) (T) 203*P*

GALLIMORE C.M. *see* EDGLEY S.A. & GALLIMORE C.M. Morphology of dorsal horn spinocerebellar tract neurones in the cat. (C) 56*P*

GARDINER S.M. *see* BENNETT T., FOULKES R. & GARDINER S.M. Daily variations in B.P. during adrenal regeneration in rats. (C) 93*P*

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Factors influencing the maintenance of blood pressure in salt-maintained adrenalectomized rats. (PC) 245*P*

GARDNER D.G. *see* BAXTER J.D., GARDNER D.G., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Role of atrial natriuretic peptide (ANP) in mineralocorticoid escape in the dog. (PC) 249*P*

GARDNER-MEDWIN A.R. Device to prevent vehicle drivers falling asleep (D) 22*P*

GARDNER-MEDWIN A.R. & RASTEGAR K. Independent binocular displays on a microcomputer screen. (D) 23*P*

GARLAND H.O. & LEWIS A.G. Altered renal function in chronically hyperprolactinaemic male rats. (PC) 257*P*

GARRETT J.R. *see* EDWARDS A.V., GARRETT J.R., LIAO J. & SMITH R.E. Testing for possible movement of kallikrein to the blood from submandibular glands on nerve stimulation in cats. (C) 97*P*

GARRETT J.R. *see* ANDERSON L.C., GARRETT J.R. & THULIN A. Parotid gland function and nerves in streptozotocin-diabetic rats. (C) 130*P*

GARTHWAITE J. Parallel-fibre- and mossy-fibre-mediated synaptic transmission in rat cerebellar slices monitored using a 'grease-gap' method. (D) 16*P*

GAUSE G. *see* CASSIN S., DYER R., GAUSE G. & PERKS A.M. The effects of loop diuretics and ouabain on lung liquid secretion in fetal sheep and guinea-pig. (PC) 240*P*

GEBRUERS Elizabeth M. *see* COTTER T., FINN Martha, GEBRUERS Elizabeth M. & HALL W.J. Changes in plasma volume and vasopressin in humans drinking fluids isosmotic with plasma. (C) 88*P*

GEIS G.S. *see* ARDELL J.L., GEIS G.S., RANDALL W.C. & WURSTER R.D. Selective innervation of sinoatrial and atrioventricular nodes in the canine heart. (C) 66*P*

GIBSON A.R., HARVEY C.F., HOUK J.C., KENNEDY P.R. & VAN KAN P.L.E. Significance of cortical input to the monkey red nucleus. (C) 47*P*

GIBSON H. *see* EDWARDS R.H.T., GIBSON H. & HAYWARD M. Effects of muscle length on fatiguability of the adductor pollicis in man. (PC) 259*P*

GIBSON K. *see* BOYD C.A.R., GIBSON K., SHENNAN D.B. & WEBB K.L. Sulphate transport by human placental microvillus brush border membrane vesicles. (C) 167*P*

GINTANT G.A. *see* COHEN I.S., DATYNER N.B., GINTANT G.A., JOHNSON S.J., MULRINE N.K. & PENNEFATHER P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190*P*

GIRALDEZ F. *see* FERREIRA H.G., FERREIRA Karin T.G. & GIRALDEZ F. Volume-induced changes in membrane potential in the stripped epithelium of the frog skin (*Rana ridibunda*). (C) 150*P*

GJÖRSTRUP P. *see* ASKING B. & GJÖRSTRUP P. On regulation of amylase synthesis by nerve stimulation in the rat parotid gland. (C) 131*P*

GLAZIER J.D. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Effect of chloride replacement on the electrical activity of the pig placenta *in vitro*. (PC) 270*P*

GLYNN I.M., HARA Y., RICHARDS D.E. & STEINBERG M. Parallel studies of cation release and conformational change in dog kidney Na,K-ATPase. (PC) 256*P*

GODT R., GOOD P., MAUGHAN D., PERL D. & TANNER B. Cytosol constituents from frog skeletal muscle determined by laser micro-probe mass analysis. (C) 160*P*

GODT R.E. & NOSEK T.M. The changes in intracellular milieu accompanying fatigue or hypoxia depress the contractile machinery of rabbit skeletal and guinea-pig cardiac muscle fibres. (C) 174*P*

GOLDMAN W.F. *see* BERLIN J.R., CANNELL M.B., GOLDMAN W.F., LEDERER W.J., MARBAN E. & WIER W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

GOOD P. *see* GODT R., GOOD P., MAUGHAN D., PERL D. & TANNER B. Cytosol constituents from frog skeletal muscle determined by laser micro-probe mass analysis. (C) 160*P*

GOODWIN J. *see* BURNS S., BROWN H., GOODWIN J. & KAISER W.C. Shoulder stabilization, the spinal accessory nerve and the trapezius muscle in man. (C) 55*P*

GOSDEN R.G. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

GOTTSCHALK G. & LÜTTGAU H.CH. The effect of D600 and Ca^{2+} deprivation on force kinetics in short toe muscle fibres of the frog. (C) 170*P*

GOYETTE D.A. *see* BRENDENBERG C.E., CLARK W.R., GOYETTE D.A., HART A.K. & NIEMAN G.F. The effect of wood smoke inhalation on canine pulmonary endothelial permeability. (PC) 242*P*

GRAFENSTEIN H.R.K. v. ßOO BAKER P.F., GRAFENSTEIN H.R.K. v. & ROBERTS C.S. Membrane retrieval following stimulation of exocytosis in cultured bovine adrenal medullary cells: lack of effect of extracellular Ca (C) 156*P*

GRANTHAM C.J. *see* BAKHLE Y.S. & GRANTHAM C.J. Decreased adenosine uptake and metabolism in isolated lungs of rats precedes pulmonary oedema induced by *a*-naphthylthiourea (ANTU). (C) 126*P*

GRANT Kirsty & HORCHOLLE-BOSSAVIT Ginette Red nucleus inputs to retractor bulbi motoneurones in the cat. 317

GRAY Peter *see* ATTWELL David, BREW Helen, GRAY Peter & MOBBS Peter Single potassium channels in Müller cells of the salamander retina. (C) 35*P*

GRAY P.T.A. & RITCHIE J.M. The voltage-gated chloride conductance of rat astrocytes. (C) 141*P*

GREENLEAF J.E. & HARRISON M.H. Changes in peripheral haematocrit and haemoglobin during water immersion in man. (C) 70*P*

GREEN R. *see* ARTHUR S.K. & GREEN R. Fluid reabsorption by the proximal convoluted tubule of the kidney in lactating rats. 267

GREENSTEIN B.D. *see* ADCOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Sexual dimorphism of neonatal rat brain mRNA-directed protein synthesis *in vitro*: effects of oestradiol benzoate. (C) 177*P*

GREENSTEIN B.D. *see* ADOCK I.M., FITZPATRICK Fenella T.A. & GREENSTEIN B.D. Effects of orchidectomy on prostate gland and thymus of young adult and 18-month-old rats. (PC) 281*P*

GREENWALD S.E., LEVER M.J., MACINTYRE I., MORRIS H.R. & TIPPINS J.R. The effect of human calcitonin gene-related peptide (CGRP) on the pig coronary circulation. (C) 67*P*

GREENWOOD C.A. *see* DAUNCEY M.J., GREENWOOD C.A., INGRAM D.L. & MUNN E.A. Changes in porcine muscle mitochondria induced by environmental temperature and energy intake. (PC) 220*P*

GREIG C., SARGEANT A.J. & VØLLESTAD N.K. Muscle force and fibre recruitment during dynamic exercise in man. (C) 176*P*

GRIFFITHS P.J. *see* ASHLEY C.C., GRIFFITHS P.J. & RAKOWSKI R.F. Gating current in giant barnacle (*Balanus nubilus*) muscle fibres. (PC) 268*P*

GRØNNERØD O. & VØLLESTAD N.K. Quantitative analysis of histochemically stained sections of mammalian muscle. (D) 15*P*

GROPPER M.A., SHEPARD J.M. & STAUB N.C. Arterial and venous leakage in isolated Zone I dog lung lobes give equal interstitial albumin concentrations. (PC) 243*P*

GROS Gerolf *see* BRUNS Wolfgang, DERMIETZEL Rolf & GROS Gerolf Carbonic anhydrase in the sarcoplasmic reticulum of rabbit skeletal muscle. 351

GROSSMANN R. *see* ELLENDORFF F. & GROSSMANN R. A stereotaxic procedure for recording the electrical activity of neurones in chicken brains during the perinatal period. (D) 5*P*

GURNEY Alison M. *see* CHABALA Lee D., GURNEY Alison M. & LESTER Henry A. Dose–response of acetylcholine receptor channels opened by a flash-activated agonist in voltage-clamped rat myoballs. 407

GUZ A. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

GUZ A. *see* ADAMS L., GUZ A., HAMILTON R.D., INNES J.A. & MURPHY K. Beat-by-beat changes in stroke volume during the respiratory cycle in conscious man. (C) 128*P*

HAINING J.L. *see* CLOWER B.R., DOUGLAS B.H., HAINING J.L. & SMITH R.R. Role of blood platelets in cerebral haemorrhagic arteriopathy in the cat. (C) 80*P*

HALANK M., KILBINGER H. & WESSLER I. Facilitation by nicotinic autoreceptors of acetylcholine release from the rat phrenic nerve. (C) 62*P*

HALL A.C. *see* ELLORY J.C., FREEMAN C.J. & HALL A.C. Irradiation of cryopreserved red cells for membrane transport studies. (D) 20*P*

HALL Judith M. & MORTON I.K.M. The effect of potassium channel blockers on the responses to substance P and other spasmogens in longitudinal smooth muscle from the guinea-pig ileum. (PC) 260*P*

HALL W.J. *see* COTTER T., FINN Martha, GEBRUERS Elizabeth M. & HALL W.J. Changes in plasma volume and vasopressin in humans drinking fluids isosmotic with plasma. (C) 88*P*

HALSEY M.J., HAWLEY Diane, MELDRUM B.S. & WARDLEY-SMITH Bridget The effect of kynurenic acid on the high-pressure neurological syndrome in the rat. (C) 64*P*

HAMANN W. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Mechanical properties of skin and responsiveness of slowly adapting type I mechanoreceptors in rats at different ages. 329

HAMANN W. *see* BAUMANN K.I., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. Responsiveness and ultrastructure of slowly adapting type I cutaneous mechanoreceptors in vitamin A deficient rats. 339

HAMANN W. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Stimulus-response properties of SA1 mechanoreceptors (touch corpuscles) in rats at different ages. (C) (T) 203*P*

HAMILTON R.D. & WINNING A.J. Reversible blockade of the pulmonary chemoreflex and airway reflexes in dogs by local anaesthetic aerosol. (C) 111*P*

HAMILTON R.D. *see* ADAMS L., GUZ A., HAMILTON R.D., INNES J.A. & MURPHY K. Beat-by-beat changes in stroke volume during the respiratory cycle in conscious man. (C) 128*P*

HAM I.W., MATHIAS C.J., MAY C.N. & STONE F.A. Intravenous morphine raises blood pressure in the conscious rabbit. (C) 95*P*

HAMON Maureen *see* FLEET I.R., HAMON Maureen & HEAP R.B. Role of uterine lymphatics in the countercurrent transfer of prostaglandin $F_{2\alpha}$ from the uterus to the ovary in the sheep. (D) (T) 26*P*

HAMON Maureen, HEAP R.B., MORGAN G., WANGO E. & WOODING F.B.P. Steroid production by isolated binucleate cells from ruminant placenta. (PC) 218*P*

HANCK D.A. *see* FOZZARD H.A., HANCK D.A., MAKIELSKI J.C. & SHEETS M.F. Shift in inactivation and activation parameters of Na^+ current in internally dialysed canine cardiac Purkinje cells. (C) 194*P*

HARA Y. *see* GLYNN I.M., HARA Y., RICHARDS D.E. & STEINBERG M. Parallel studies of cation release and conformational change in dog kidney Na,K-ATPase. (PC) 256*P*

HARGREAVES S.P. & MARSHALL Janice M. Cardiovascular responses evoked by systemic hypercapnia in the rat. (C) 75*P*

HARRIS L.R. The effect of opposing canal and otolith signals during off-vertical-axis rotation in the cat. (C) 30*P*

HARRIS M.C. *see* BANKS D., HARRIS M.C. & STOKES W.N. Carotid body chemoreceptor stimulation in rats activates large areas of the forebrain but not the hypothalamus. (C) 114*P*

HARRISON F.A., OSBORNE J.E. & RYDER C.M. An automatic feeder for sheep. (D) 7*P*

HARRISON F.A., KING I.S. & VERGARA ESTERAS Patrocinio Somatostatin-like immunoreactivity in the alimentary tract of the sheep. (PC) 208*P*

HARRISON F.A., HILLS F., HOLMES P.H. & STEVENSON Anne G. The effect of anthelmintic treatment on gastrointestinal loss of plasma proteins in sheep infected with *Haemonchus contortus*. (PC) 209*P*

HARRISON F. Lynne *see* CARLETON J.S., CATT J. & HARRISON F. Lynne Bone-marrow cultures as a model differentiating system. (D) (T) 27*P*

HARRISON M.H. *see* GREENLEAF J.E. & HARRISON M.H. Changes in peripheral haematocrit and haemoglobin during water immersion in man. (C) 70*P*

HARRISON P.J., JANKOWSKA E. & ZYTNICKI D. Lamina VIII interneurones interposed in crossed reflex pathways in the cat. 147

HARRISON S.M., LAMONT Christine & MILLER D.J. Carnosine and other natural imidazoles enhance muscle Ca sensitivity and are mimicked by caffeine and AR-L 115BS. (C) 197*P*

HARRIS S., HAYLOR J. & LOTE C.J. Prostaglandin E_2 and $F_{2\alpha}$ excretion in acidic and alkaline urine in the rat. (C) 99*P*

HART A.K. *see* BRENDENBERG C.E., CLARK W.R., GOYETTE D.A., HART A.K. & NIEMAN G.F. The effect of wood smoke inhalation on canine pulmonary endothelial permeability. (PC) 242*P*

HART G. *see* BOYETT M.R., HART G. & LEVI A.J. Dissociation between force and intracellular Na activity (a^{i}_{Na}) caused by strophanthidin and bathing K^+ in isolated voltage-clamped sheep Purkinje fibres. (PC) 262*P*

HARTLEY R.S. *see* DUPRE R.K., HARTLEY R.S., HICKS J.W., MARTINEZ M.J. & WOOD S.C. The effect of hypoxia on temperature regulation: a comparative study. (PC) 222*P*

HART M.V., METCALFE J. & MORTON M.J. Changes in aortic function during normal human pregnancy. (PC) 254*P*

HARVEY B.J. *see* EHRENFELD J. & HARVEY B.J. Bicarbonate ion transport across basolateral membranes of frog skin epithelium. (C) 164*P*

HARVEY C.F. *see* GIBSON A.R., HARVEY C.F., HOUK J.C., KENNEDY P.R. & VAN KAN P.L.E. Significance of cortical input to the monkey red nucleus. (C) 47*P*

HAWLEY Diane *see* HALSEY M.J., HAWLEY Diane, MELDRUM B.S. & WARDLEY-SMITH Bridget The effect of kynurenic acid on the high-pressure neurological syndrome in the rat. (C) 64*P*

HAYLOR J., LOTE C.J. & TOWERS J.D. PGE excretion in alkaline urine: effect of urine flow and frusemide in the rat. (C) 98*P*

HAYLOR J. *see* HARRIS S., HAYLOR J. & LOTE C.J. Prostaglandin E_2 and F_{2a} excretion in acidic and alkaline urine in the rat. (C) 99*P*

HAYNES N.B. *see* BROOKS A.N., HAYNES N.B. & LAMMING G.E. Opioid peptides modulate luteinizing hormone secretion throughout the oestrous cycle in the ewe. (C) 178*P*

HAYNES N.B. *see* BROOKS A.N., HAYNES N.B., LAMMING G.E. & YANG K.P. The effects of ovarian steroids upon opioid mediated LH suppression in the ewe. (C) 179*P*

HAYWARD M. *see* EDWARDS R.H.T., GIBSON H. & HAYWARD M. Effects of muscle length on fatiguability of the adductor pollicis in man. (PC) 259*P*

HEAD F.C. *see* BUSS T., EVANS M.H. & HEAD F.C. A respiratory valve unit for open-circuit anaesthesia of small animals. (D) 3*P*

HEADLEY P.M., NICOLOPOULOS S., PARSONS C.G., WEST D.C. & WIK-LUND L. Evidence that an amino acid is an excitatory transmitter of the projection from periaqueductal grey to raphe magnus in the rat. (C) 51*P*

HEAP R.B. *see* ELLIS Susan T., HEAP R.B., PARIS Frances, STANLEY C.J. & WEBB Anne E. A rapid enzyme-amplified immunoassay for progesterone in bovine milk using a monoclonal antibody. (D) 2*P*

HEAP R.B. *see* FLEET I.R., HAMON Maureen & HEAP R.B. Role of uterine lymphatics in the countercurrent transfer of prostaglandin F_{2a} from the uterus to the ovary in the sheep. (D) (T) 26*P*

HEAP R.B. *see* BRIGSTOCK D.R., BROWN K.D. & HEAP R.B. Epidermal growth factor receptors in pig extra-embryonic membrane. (PC) 207*P*

HEAP R.B. *see* HAMON Maureen, HEAP R.B., MORGAN G., WANGO E. & WOODING F.B.P. Steroid production by isolated binucleate cells from ruminant placenta. (PC) 218*P*

HEAVENS R.P. *see* BALDWIN B.A., HEAVENS R.P., KENDRICK K.M., PARROTT R.F., SHARMAN D.F. & THORNTON S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

HEAVENS R.P. *see* BALDWIN B.A., COOPER T.R., HEAVENS R.P., KENDRICK K.M. & SHARMAN D.F. A method for neurochemical sampling, using intracranial dialysis, in the conscious sheep. (D) 11*P*

HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) (T) 282*P*

HEISEY S.R. *see* ADAMS T. & HEISEY S.R. Ventilation and sensitivity to induced hypercapnia related to convective effects of ventriculocisternal perfusion and brain blood flow in the cat. (C) 107*P*

HEMPEL F.G. Impairment of feline cerebral oxygenation by presumed airway closure after fluid aspiration. (C) 124*P*

HESS R.F. & NORDBY K. Spatial and temporal limits of vision in the achromat. 365

HESS R.F. & NORDBY K. Spatial and temporal properties of human rod vision in the achromat. 387

HICKS J.W. *see* DUPRE R.K., HARTLEY R.S., HICKS J.W., MARTINEZ M.J. & WOOD S.C. The effect of hypoxia on temperature regulation: a comparative study. (PC) 222*P*

HIGENBOTTAM T., JONES K., FITZPATRICK M. & WALLWORK J. The control of breathing following heart and lung transplantation in man. (C) 125*P*

HILGEMANN D. & NOBLE D. Simulation of extracellular Ca transients in rabbit cardiac muscle. (C) 195*P*

HILL Caryl E., HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. Sympathetic innervation and excitability of arterioles originating from the rat middle cerebral artery. 305

HILL M. & SOLOMON S. Interaction of blood volume expansion and atrial peptide in producing diuresis and natriuresis in the rat. (PC) 248P

HILLS F. *see* HARRISON F.A., HILLS F., HOLMES P.H. & STEVENSON Anne G. The effect of anthelmintic treatment on gastrointestinal loss of plasma proteins in sheep infected with *Haemonchus contortus*. (PC) 209P

HIRST B.H. *see* ALLEN A., CARROLL N.J.H. & HIRST B.H. Gastric mucus in the anaesthetized rat: response to secretin, prostaglandin, ethanol and pepsin. (C) 135P

HIRST B.H. *see* BLACK J.A., FORTE J.G. & HIRST B.H. Orientation of $(H^+ + K^+)$-ATPase membrane vesicles from rabbit resting and stimulated gastric mucosa. (C) 136P

HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. The action potential and underlying ionic currents in proximal rat middle cerebral arterioles. 289

HIRST G.D.S. *see* HILL Caryl E., HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. Sympathetic innervation and excitability of arterioles originating from the rat middle cerebral artery. 305

HODGKIN A.L., MCNAUGHTON P.A. & NUNN B.J. Modulation of ionic current by light in salamander rods. (C) 37P

HODSON S.A. & WIGHAM C.G. Passive ion diffusion across ox corneal endothelium through the paracellular route. (C) 165P

HOHIMER A.R. *see* BISSONNETTE J.M. & HOHIMER A.R. The effect of anaemia on fetal cerebral blood flow and oxygenation. (PC) 280P

HOLLINGSWORTH S. *see* DYER R.G. & HOLLINGSWORTH S. The effect of fasting in female rats on the electrical activity of preoptic and anterior hypothalamic (PO/AH) neurones and their response to ventral noradrenergic tract (VNAT) stimulation. (C) 187P

HOLLINGSWORTH Sharon *see* DYER R.G. & HOLLINGSWORTH Sharon Effect of naloxone on the response of identified rat preoptic neurones to electrical stimulation of the ventral noradrenergic tract. (D) (T) 26P

HOLMES P.H. *see* HARRISON F.A., HILLS F., HOLMES P.H. & STEVENSON Anne G. The effect of anthelmintic treatment on gastrointestinal loss of plasma proteins in sheep infected with *Haemonchus contortus*. (PC) 209P

HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked release of 5-hydroxytryptamine (5-HT) from the neurointermediate lobe (NIL) of the isolated rat hypophysis is inhibited by concomitant dopamine (DA) release. (C) 186P

HORCHOLLE-BOSSAVIT Ginette *see* GRANT Kirsty & HORCHOLLE-BOSSAVIT Ginette Red nucleus inputs to retractor bulbi motoneurones in the cat. 317

HOUK J.C. *see* GIBSON A.R., HARVEY C.F., HOUK J.C., KENNEDY P.R. & VAN KAN P.L.E. Significance of cortical input to the monkey red nucleus. (C) 47P

HOUSER S.R. *see* BAHINSKI A., CAPOGROSSI M.C., HOUSER S.R. & LAKATTA E.G. Multifocal spontaneous Ca^{2+} release can trigger a spontaneous action potential in single rat cardiac myocytes. (C) 196P

HOWARD J. *see* BLAKESLEE B., HOWARD J. & LAUGHLIN S.B. The upper limit to photoreceptor signal-to-noise ratio in insects. (C) (T) 203P

HUDLICKA O. & PRICE S. The effect of long-term electrical stimulation on capillary density, blood flow and muscle performance in rat fast muscles with limited blood supply. (C) 86P

HUGHES S.W., LANIGAN C., MOXHAM J. & PONTE J. Continuous measurement of oxygen consumption and carbon dioxide production in man. (PC) 233P

HUMPHREYS E.M. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182P

IMMS F.J. *see* BOLAM P.G., IMMS F.J., LEE Wen-Sen, LUDLOW P.G. & PARFETT Greta Blood flow following occlusion of the circulation to the human forearm. (C) 73P

INGRAM C.D. *see* BICKNELL R.J., INGRAM C.D. & MASON W.T. Techniques for recording electrical activity of normal bovine pituitary lactotrophs. (D) 6P

INGRAM C.D. *see* COBBETT P., INGRAM C.D. & MASON W.T. Is hormone secretion independent of Na^+ action potentials in bovine lactotrophs? (C) 185P

INGRAM C.D. *see* COBBETT P., INGRAM C.D. & MASON W.T. Activation and inactivation of sodium and calcium currents in bovine lactotrophs. (PC) 267P

INGRAM D.L. *see* DAUNCEY M.J., INGRAM D.L., OSBORNE J.E. & TONER J.N. Radiotelemetry of deep body temperature from one piglet within a group. (D) 8P

INGRAM D.L. *see* DAUNCEY M.J., GREENWOOD C.A., INGRAM D.L. & MUNN E.A. Changes in porcine muscle mitochondria induced by environmental temperature and energy intake. (PC) 220*P*

INNES J.A. *see* ADAMS L., GUZ A., HAMILTON R.D., INNES J.A. & MURPHY K. Beat-by-beat changes in stroke volume during the respiratory cycle in conscious man. (C) 128*P*

ITADA N. *see* BARINOV I., DODGSON S.J., FORSTER R.E., ITADA N. & LIN L. Graded inhibition of intracellular carbonic anhydrase activity in human red blood cells. (C) 159*P*

JACOB R., LIU S. & LIEBERMAN M. Block of sodium–calcium exchange in cultured chick embryo heart cells by lanthanum and manganese. (C) 192*P*

JANKOWSKA E. *see* HARRISON P.J., JANKOWSKA E. & ZYTNICKI D. Lamina VIII interneurones interposed in crossed reflex pathways in the cat. 147

JANKOWSKA E. *see* EDGLEY S.A. & JANKOWSKA E. Functional properties of dorsal horn spinocerebellar tract neurones in the cat. (C) 57*P*

JAY M. *see* CARO C.G., JAY M. & LEVER M.J. Labelled albumin uptake by rabbit aorta, pulmonary artery and common carotid artery. (C) 85*P*

JHUNJHUNWALA J.S. *see* CHAKRABORTY J., JHUNJHUNWALA J.S., NELSON L. & SINHA HIKIM A.P. Pathophysiology of human testis – mechanism of germ-cell degeneration. (C) (T) 203*P*

JOHANSSON R.S. *see* BIGLAND-RITCHIE B., CAFARELLI E.J., JOHANSSON R.S. & WOODS J.J. Human E.m.g. and motoneurone discharge rates during sustained submaximal contractions. (C) 54*P*

JOHNS E.J. & MANITIUS J. A study of renal nerve regulation of calcium excretion in the rat kidney. (C) 102*P*

JOHNSON P. The effects of expiratory pressure, hypoxia and hypercapnia on respiratory muscle activity in response to positive pressure inflation in lambs – Hering & Breuer reflexes revisited. (C) 106*P*

JOHNSON P. *see* BURN D.J., FEWELL J.E. & JOHNSON P. The role of the larynx in lambs with oleic acid-induced lung injury. (PC) 244*P*

JOHNSON S.J. *see* COHEN I.S., DATYNER N.B., GINTANT G.A., JOHNSON S.J., MULRINE N.K. & PENNEFATHER P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190*P*

JONES D.R. *see* GABBOTT G.R.J. & JONES D.R. Psychogenic influences on the cardiac response of the duck (*Anas platyrhynchos*) to forced submersion. (C) 71*P*

JONES K. *see* HIGENBOTTAM T., JONES K., FITZPATRICK M. & WALLWORK J. The control of breathing following heart and lung transplantation in man. (C) 125*P*

JONES N.L. *see* HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) 282*P*

JONES S.A. & SUMMERLEE A.J.S. Relaxin prolongs gestation and delivery time in the rat. (C) 181*P*

JORDAN D. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Differential changes in the synaptic rhythm of caudal medullary expiratory bulbospinal neurones in response to hypothalamic stimulation in the cat. (C) 117*P*

JORDAN D. *see* COX G.E., DASHWOOD M.R., JORDAN D. & SPYER K.M. An autoradiographic and ionophoretic study of muscarinic receptors in the dorsomedial medulla of the rabbit. (C) 119*P*

KAILA K. & VAUGHAN-JONES R.D. The effect of stimulation frequency upon intracellular pH, intracellular sodium and tension in sheep cardiac Purkinje fibres. (C) 171*P*

KAISER W.C. *see* BURNS S., BROWN H., GOODWIN J. & KAISER W.C. Shoulder stabilization, the spinal accessory nerve and the trapezius muscle in man. (C) 55*P*

KANNO T., MATSUMOTO T., MURAKAMI M., SEO Y. & WATARI H. Phosphorus nuclear magnetic resonance in isolated perfused rat pancreas. (C) 133*P*

KANNO T. & MATSUMOTO T. Influence of $[Ca^{2+}]_0$ on CCK-induced secretion and redox state in perfused rat pancreas. (C) 134*P*

KAY I.S. *see* ARMSTRONG D.J., KAY I.S. & RUSSELL N.J.W. The pulmonary chemoreflexes evoked by phenyl biguanide, diguanide and guanidine in anaesthetized rabbits. (C) 115*P*

KAY R.H. Human detectability of simple non-sinusoidal frequency modulations (FM) and amplitude modulations (AM) of sounds. (C) 40*P*

KEALEY Terence Cyclic nucleotide metabolism of human eccrine sweat gland collecting duct. (C) (T) 203*P*

KELLY S.S., MORGAN G.P. & SMITH J. W. Calcium fluxes in skeletal muscle from dystrophic mice (129/ReJ stain). (C) 147*P*

KENDRICK K.M. *see* BALDWIN B.A., HEAVENS R.P., KENDRICK K.M., PARROTT R.F., SHARMAN D.F. & THORNTON S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

KENDRICK K.M. *see* BALDWIN B.A. & KENDRICK K.M. A method for recording single-unit neuronal activity in conscious sheep. (D) 10*P*

KENDRICK K.M. *see* BALDWIN B.A., COOPER T.R., HEAVENS R.P., KENDRICK K.M. & SHARMAN D.F. A method for neurochemical sampling, using intracranial dialysis, in the conscious sheep. (D) 11*P*

KENNEDY P.R. *see* GIBSON A.R., HARVEY C.F., HOUK J.C., KENNEDY P.R. & VAN KAN P.L.E. Significance of cortical input to the monkey red nucleus. (C) 47*P*

KERNAN R.P. Chloride-dependent sodium influx into rat skeletal muscle fibres measured with ion-selective micro-electrodes. (C) 146*P*

KEYNES R.D. A molecular model for the activation of voltage-gated ion channels. (C) 143*P*

KHAN M. *see* AL-SENDI Aneesa, FORSLING Mary L., KHAN M. & PEYSNER K. Fluid balance in cycling rats and ovariectomized rats treated with oestradiol benzoate. (C) 189*P*

KILBINGER H. *see* HALANK M., KILBINGER H. & WESSLER I. Facilitation by nicotinic autoreceptors of acetylcholine release from the rat phrenic nerve. (C) 62*P*

KIMURA Junko, MIYAMAE Shunichi & NOMA Akinori Isolation of sodium–calcium exchange current in single ventricular cells of guinea-pig. (C) 191*P*

KING I.S. *see* HARRISON F.A., KING I.S. & VERGARA ESTERAS Patrocinio Somatostatin-like immunoreactivity in the alimentary tract of the sheep. (PC) 208*P*

KING M.R. & ROSENBERG M.E. Neurones in the superior colliculus of the gerbil responsive to the direction of movement of an auditory stimulus in open field. (PC) 278*P*

KIRBY G.C. & MCQUEEN D.S. ICI 154,129 antagonizes [Met]enkephalin-induced depression of cat chemosensory discharge. (C) 113*P*

KLEIN D.M. & RAYMOND R.M. Uncoupling of myocardial oxygen consumption from energy production and work during endotoxic shock in dogs. (PC) 251*P*

KNIGHT D.E. & TONGE D.A. Botulinum toxin type D blocks catecholamine secretion from isolated bovine adrenal medullary cells. (C) 155*P*

KONG C.H. & THOMPSON F.D. Cardiovascular responses to postural stress in patients with chronic renal failure. (C) 72*P*

KOTECHA N. & NEILD T.O. Relaxation of the smooth muscle of the rat tail artery associated with hyperpolarization of the smooth muscle. (PC) 261*P*

KOWALCHUK J. *see* HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) 282*P*

KUAN Y.F. & SCHOFIELD C.N. Organic Ca-channel blockers are without effects on synaptic transmission in slices of guinea-pig olfactory cortex. (PC) 271*P*

KUBIN L. *see* DAVIES R.O., KUBIN L. & PACK A.I. Contralateral projections of pump neurones of the nucleus of the solitary tract in the cat. (C) 118*P*

KUNG M. *see* BURKE T.V., BURKI N.K. & KUNG M. The effects of histamine-induced bronchoconstriction on gas exchange in mild asthmatics. (PC) 239*P*

LAITINEN Annika, LAITINEN L.A. & PARTANEN M. Morphology of presumed afferent nerve fibres in the epithelium and in the smooth muscle layer of human respiratory tract. (PC) 238*P*

LAITINEN L.A. *see* LAITINEN Annika, LAITINEN L.A. & PARTANEN M. Morphology of presumed afferent nerve fibres in the epithelium and in the smooth muscle layer of human respiratory tract. (PC) 238*P*

LAKATTA E.G. *see* BAHINSKI A., CAPOGROSSI M.C., HOUSER S.R. & LAKATTA E.G. Multifocal spontaneous Ca^{2+} release can trigger a spontaneous action potential in single rat cardiac myocytes. (C) 196*P*

LAMMING G.E. *see* BROOKS A.N., HAYNES N.B. & LAMMING G.E. Opioid peptides modulate luteinizing hormone secretion throughout the oestrous cycle in the ewe. (C) 178*P*

LAMMING G.E. *see* BROOKS A.N., HAYNES N.B., LAMMING G.E. & YANG K.P. The effects of ovarian steroids upon opioid mediated LH suppression in the ewe. (C) 179*P*

LAMONT Christine *see* HARRISON S.M., LAMONT Christine & MILLER D.J. Carnosine and other natural imidazoles enhance muscle Ca sensitivity and are mimicked by caffeine and AR-L 115BS. (C) 197*P*

LANDE S., LANG B., NEWSOM-DAVIS J. & WRAY D. Site of action of Lambert-Eaton myasthenic syndrome antibodies at mouse motor nerve terminals. (C) 61*P*

LANG B. *see* LANDE S., LANG B., NEWSOM-DAVIS J. & WRAY D. Site of action of Lambert-Eaton myasthenic syndrome antibodies at mouse motor nerve terminals. (C) 61*P*

LANGENBERG-PANZER S.L. *see* FARR L.A., CAMPBELL-GROSSMAN C., MACK J.M., LANGENBERG-PANZER S.L., PETERSEN M.J. & SMITH T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

LANG R.J. *see* BENHAM C.D., BOLTON T.B., LANG R.J. & TAKEWAKI T. Calcium-activated potassium channels in single smooth muscle cells of rabbit jejunum and guinea-pig mesenteric artery. 45

LANIGAN C. *see* HUGHES S.W., LANIGAN C., MOXHAM J. & PONTE J. Continuous measurement of oxygen consumption and carbon dioxide production in man. (PC) 233*P*

LARKE J.R. *see* BRIGGS-DOKUBO S.T., LARKE J.R. & WIGHAM C.G. A method for the collection of human corneal-derived lactate *in vivo*. (C) 166*P*

LAUGHLIN S.B. *see* BLAKESLEE B., HOWARD J. & LAUGHLIN S.B. The upper limit to photoreceptor signal-to-noise ratio in insects. (C) (T) 203*P*

LAURENT G.J., OLIVER M.H. & TURNER Jill E. Biochemical changes in the right ventricle resulting from bleomycin-induced lung fibrosis in the rabbit: a model of cardiac hypertrophy. (C) 28*P*

LAURIE M.S. *see* BROWN K.D. & LAURIE M.S. Characterization of bombesin receptors on Swiss 3T3 mouse embryo fibroblasts. (PC) 210*P*

LAWSON S.N. & WADDELL P.J. The antibody RT97 distinguishes between sensory cell bodies with myelinated and unmyelinated peripheral processes in the rat. (C) 59*P*

LAZDUNSKI M. *see* COGNARD C., LAZDUNSKI M. & ROMEY G. Contribution of the apamin-sensitive Ca^{2+}-activated K^+ current in the 'apparent' inactivation of the Ca^{2+} current in mammalian skeletal muscle. (PC) 263*P*

LAZDUNSKI M. *see* COGNARD C., LAZDUNSKI M. & ROMEY G. Different types of voltage-dependent calcium channels in rat skeletal muscle cells in culture: electrophysiological and pharmacological properties. (PC) 264*P*

LAZRAK A. *see* DÉLÈZE J., LAZRAK A. & RAKOTONIRINA V.S. Isolation of the tubular action potential in the frog skeletal muscle fibre. (C) 149*P*

LEAVER Kathryn D. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

LEDERER W.J. *see* BERLIN J.R., CANNELL M.B., GOLDMAN W.F., LEDERER W.J., MARBAN E. & WIER W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

LEDSOME J.R. *see* COURNEYA C.A., LEDSOME J.R., RANKIN A.J. & WILSON N. Tachycardia releases immunoreactive atrial natriuretic peptide in the rabbit. (PC) 250*P*

LEE L.-Y. & MORTON R.F. Ventilatory responses to CO_2 inhaled through an isolated upper airway in conscious dogs. (PC) 235*P*

LEE M.E., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Elevated left heart pressure causes increases in plasma levels of atrial natriuretic peptide (ANP) in conscious dogs. (PC) 247*P*

LEES G. *see* BEADLE D.J., BENSON J.A., LEES G. & NEWMAN R. Flunitrazepam and pentobarbital modulate GABA responses of insect neuronal somata. (PC) 273*P*

LEE Wen-Sen *see* BOLAM P.G., IMMS F.J., LEE Wen-Sen, LUDLOW P.G. & PARFETT Greta Blood flow following occlusion of the circulation to the human forearm. (C) 73*P*

LEMON R.N., MANTEL G.W.H. & MUIR R.B. The consequences of synchronization among cortico-motor neurones in the monkey. (C) 46*P*

LENG G. *see* BICKNELL R.J., LENG G. & RUSSELL J.A. A model system for the study of morphine dependence and withdrawal in identified peptidergic neurones in the rat. (D) 4*P*

LENG G. & RUSSELL J.A. Release of oxytocin by stimulation in the anteroventral region of the third ventricle in the rat. (D) (T) 26*P*

LENG G. *see* DYBALL R.E.J. & LENG G. Activation of oxytocin neurones influences the periodicity of reflex milk ejection in the rat. (C) 184*P*

LESSLER M.A. & RAY D.A. Dietary lead inhibits avian bone fracture healing. (PC) 223*P*

LESTER Henry A. *see* CHABALA Lee D., GURNEY Alison M. & LESTER Henry A. Dose–response of acetylcholine receptor channels opened by a flash-activated agonist in voltage-clamped rat myoballs. 407

LE T. *see* CASSIDY Marie M., FITZPATRICK L., LE T. & VAHOUNY G.V. Characteristics of enterocyte adaptation in the jejunum and colon of weanling rats fed a variety of semi-purified dietary fibres. (PC) 229*P*

LEUNG M.S. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Mechanical properties of skin and responsiveness of slowly adapting type I mechanoreceptors in rats at different ages. 329

LEUNG M.S. *see* BAUMANN K.I., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. Responsiveness and ultrastructure of slowly adapting type I cutaneous mechanoreceptors in vitamin A deficient rats. 339

LEUNG M.S. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Stimulus-response properties of SA1 mechanoreceptors (touch corpuscles) in rats at different ages. (C) (T) 203*P*

LEVER M.J. *see* GREENWALD S.E., LEVER M.J., MACINTYRE I., MORRIS H.R. & TIPPINS J.R. The effect of human calcitonin gene-related peptide (CGRP) on the pig coronary circulation. (C) 67*P*

LEVER M.J. *see* CARO C.G., JAY M. & LEVER M.J. Labelled albumin uptake by rabbit aorta, pulmonary artery and common carotid artery. (C) 85*P*

LEVI A.J. *see* BOYETT M.R., LEVI A.J. & ROBERTS A. The decline in the response to acetylcholine (ACh) mediated by the muscarinic cholinoceptor of the rabbit sino-atrial node: a biphasic process. (C) 198*P*

LEVI A.J. *see* BOYETT M.R., HART G. & LEVI A.J. Dissociation between force and intracellular Na activity (a^{i}_{Na}) caused by strophanthidin and bathing K^+ in isolated voltage-clamped sheep Purkinje fibres. (PC) 262*P*

LE WINTER M. *see* FOËX P., LE WINTER M. & WAY B. The end-ejection pressure-length relationship: hysteresis after acute increases in afterload in the intact canine heart. (C) 65*P*

LEWIS A.G. *see* GARLAND H.O. & LEWIS A.G. Altered renal function in chronically hyperprolactinaemic male rats. (PC) 257*P*

LIAO J. *see* EDWARDS A.V., GARRETT J.R., LIAO J. & SMITH R.E. Testing for possible movement of kallikrein to the blood from submandibular glands on nerve stimulation in cats. (C) 97*P*

LIEBERMAN M. *see* JACOB R., LIU S. & LIEBERMAN M. Block of sodium–calcium exchange in cultured chick embryo heart cells by lanthanum and manganese. (C) 192*P*

LIGHTMAN S.L. & VALLEJO M. Involvement of catecholamines in the central pressor effect of neuropeptide Y in rats. (C) 96*P*

LIGHTMAN S.L. & TODD K. Vasopressin activation of polyphosphoinositide metabolism in rat anterior pituitary *in vitro*. (PC) 277*P*

LIN L. *see* BARINOV I., DODGSON S.J., FORSTER R.E., ITADA N. & LIN L. Graded inhibition of intracellular carbonic anhydrase activity in human red blood cells. (C) 159*P*

LIPSIUS S.L. & RUBENSTEIN D.S. Slow inward current and intracellular calcium mediate subsidiary atrial pacemaker automaticity in the cat. (C) 193*P*

LIU S. *see* JACOB R., LIU S. & LIEBERMAN M. Block of sodium–calcium exchange in cultured chick embryo heart cells by lanthanum and manganese. (C) 192*P*

LONGDON Molly, MEHTA J.G., MORRISSEY Shelagh M. & WARD P Effect of tripotassium dicitrate bismuthate (De-nol) on the differentiation and quantitation of mucosubstances in the guinea-pig gastric antrum. (PC) 228*P*

LOTE C.J. *see* HAYLOR J., LOTE C.J. & TOWERS J.D. PGE excretion in alkaline urine: effect of urine flow and frusemide in the rat. (C) 98*P*

LOTE C.J. *see* HARRIS S., HAYLOR J. & LOTE C.J. Prostaglandin E_2 and $F_{2\alpha}$ excretion in acidic and alkaline urine in the rat. (C) 99*P*

LUDLOW P.G. *see* BOLAM P.G., IMMS F.J., LEE Wen-Sen, LUDLOW P.G. & PARFETT Greta Blood flow following occlusion of the circulation to the human forearm. (C) 73*P*

LÜTTGAU H.CH. *see* GOTTSCHALK G. & LÜTTGAU H.CH. The effect of D600 and Ca^{2+} deprivation on force kinetics in short toe muscle fibres of the frog. (C) 170*P*

LYNCH R.C.J. & SILLITO A.M. Binocular excitatory input to Y cells in lamina C of the cat dorsal lateral geniculate nucleus (dLGN). (C) 42*P*

MCCARTNEY N. *see* HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) 282*P*

MACDERMOTT Mary & MULRYAN G. Intracellular sodium and potassium activities in normal denervated rat skeletal muscles. (C) 148*P*

MACEFIELD G. *see* DAVIS P., MACEFIELD G. & NAIL B. Activation of single laryngeal motoneurones during asphyxic gasping in the anaesthetized rabbit. (C) 120*P*

MCELWAIN D.L.S. The standing-gradient model applied to fluid reabsorption in the renal proximal tubule. (C) 101*P*

MacFarlane D.J. Time constants, pure delays and gains of the respiratory responses to step changes of alveolar P_{CO_2} and P_{O_2} in moderate exercise in man. (C) 121*P*

MacIntyre I. *see* Greenwald S.E., Lever M.J., MacIntyre I., Morris H.R. & Tippins J.R. The effect of human calcitonin gene-related peptide (CGRP) on the pig coronary circulation. (C) 67*P*

Mack J.M. *see* Farr L.A., Campbell-Grossman C., Mack J.M., Langenberg-Panzer S.L., Petersen M.J. & Smith T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

McLennan H. & Peet M.J. Mechanisms of amino acid-evoked excitation of rat CA1 pyramidal neurones in hippocampal slices. (PC) 272*P*

McNaughton P.A. *see* Cervetto L., McNaughton P.A. & Nunn B.J. Aequorin signals from isolated salamander rods. (C) 36*P*

McNaughton P.A. *see* Hodgkin A.L., McNaughton P.A. & Nunn B.J. Modulation of ionic current by light in salamander rods. (C) 37*P*

McQueen D.S. *see* Kirby G.C. & McQueen D.S. ICI 154,129 antagonizes [Met]enkephalin-induced depression of cat chemosensory discharge. (C) 113*P*

Maier L., Pette D. & Rathmayer W. Enzyme activities in single electrophysiologically identified crab muscle fibres. 191

Makielski J.C. *see* Fozzard H.A., Hanck D.A., Makielski J.C. & Sheets M.F. Shift in inactivation and activation parameters of Na^+ current in internally dialysed canine cardiac Purkinje cells. (C) 194*P*

Manitius J. *see* Johns E.J. & Manitius J. A study of renal nerve regulation of calcium excretion in the rat kidney. (C) 102*P*

Mann A.C. *see* Fuchs P.A. & Mann A.C. Voltage oscillations and ionic currents in hair cells isolated from the apex of the chick's cochlea. (C) 31*P*

Mannaioni P.F. *see* Bani-Sacchi Tatiana, Barattini M., Bianchi S., Blandina P., Brunelleschi Sandra, Fantozzi R., Mannaioni P.F. & Masini Emanuela The release of histamine by para-sympathetic stimulation in guinea-pig auricle and rat ileum. 29

Mann G.E. & Norman P.S.R. Effects of ouabain, monesin and low potassium on neutral amino acid transport in the isolated perfused rat exocrine pancreas. (C) 132*P*

Mansfield Sandra *see* Bicknell R.J., Dyer R.G., Mansfield Sandra & Marsh M.I.C. Opioid binding in the rat hypothalamus is sexually differentiated. (PC) 212*P*

Mantel G.W.H. *see* Lemon R.N., Mantel G.W.H. & Muir R.B. The consequences of synchronization among cortico-motor neurones in the monkey. (C) 46*P*

Marban E. *see* Berlin J.R., Cannell M.B., Goldman W.F., Lederer W.J., Marban E. & Wier W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

Marshall Janice M. *see* Hargreaves S.P. & Marshall Janice M. Cardiovascular responses evoked by systemic hypercapnia in the rat. (C) 75*P*

Marsh M.I.C. *see* Bicknell R.J., Dyer R.G., Mansfield Sandra & Marsh M.I.C. Opioid binding in the rat hypothalamus is sexually differentiated. (PC) 212*P*

Martinez M.J. *see* Dupre R.K., Hartley R.S., Hicks J.W., Martinez M.J. & Wood S.C. The effect of hypoxia on temperature regulation: a comparative study. (PC) 222*P*

Martin K. *see* Anderson J., Gabbott P., Martin K. & Whitteridge D. The function and intracortical connectivity of a Meynert cell in area 17 of the cat visual cortex. (C) 41*P*

Masini Emanuela *see* Bani-Sacchi Tatiana, Barattini M., Bianchi S., Blandina P., Brunelleschi Sandra, Fantozzi R., Mannaioni P.F. & Masini Emanuela The release of histamine by para-sympathetic stimulation in guinea-pig auricle and rat ileum. 29

Maskrey M. The respiratory response to almitrine and its dependence on inspired oxygen levels in conscious rabbits. (C) 105*P*

Mason D.K. *see* Finchman D.A., Mason D.K. & Young J.D. Chloride-activated sodium-dependent taurine transport in eel (*Anguilla japonica*) erythrocytes. (C) 162*P*

Mason W.T. *see* Bicknell R.J., Ingram C.D. & Mason W.T. Techniques for recording electrical activity of normal bovine pituitary lactotrophs. (D) 6*P*

Mason W.T. *see* Dempster J. & Mason W.T. Semi-automated computer analysis of single ion channel recordings. (D) (T) 26*P*

Mason W.T. *see* Dyball R.E.J. & Mason W.T. Patch-clamp recordings of stimulus-related ion channel activity in nerve terminals of the rat neurohypophysis. (D) (T) 27*P*

MASON W.T. *see* COBBETT P., INGRAM C.D. & MASON W.T. Is hormone secretion independent of Na^+ action potentials in bovine lactotrophs? (C) 185*P*

MASON W.T. *see* COBBETT P., MASON W.T. & POULAIN D.A. Intracellular analysis of control of rat supraoptic neurone (SON) activity *in vitro* by acetylcholine (ACh). (PC) 216*P*

MASON W.T. *see* COBBETT P., INGRAM C.D. & MASON W.T. Activation and inactivation of sodium and calcium currents in bovine lactotrophs. (PC) 267*P*

MAST F. *see* ELZINGA G. & MAST F. Oxygen consumption following contraction of isolated rabbit papillary muscle at 20 °C. (C) 175*P*

MATHEW Oommen P., SANT'AMBROGIO Franca B. & SANT'AMBROGIO Giuseppe Effect of cold air on laryngeal mechanoreceptors of the dog. (C) 110*P*

MATHIAS C.J. *see* HAM I.W., MATHIAS C.J., MAY C.N. & STONE F.A. Intravenous morphine raises blood pressure in the conscious rabbit. (C) 95*P*

MATHIE A. *see* CULL-CANDY S.G., MATHIE A. & POWIS D.A. Influence of the *a*-adrenoceptor agonist clonidine on single acetylcholine-receptor channels in bovine chromaffin cells. (C) 157*P*

MATONS C. *see* BRODSKY W.A., DURHAM J.H. & MATONS C. Regulation of alkali excretion in the turtle. (C) 100*P*

MATSUMOTO T. *see* KANNO T., MATSUMOTO T., MURAKAMI M., SEO Y. & WATARI H. Phosphorus nuclear magnetic resonance in isolated perfused rat pancreas. (C) 133*P*

MATSUMOTO T. *see* KANNO T. & MATSUMOTO T. Influence of $[Ca^{2+}]_o$ on CCK-induced secretion and redox state in perfused rat pancreas. (C) 134*P*

MAUGHAN D. *see* GODT R., GOOD P., MAUGHAN D., PERL D. & TANNER B. Cytosol constituents from frog skeletal muscle determined by laser micro-probe mass analysis. (C) 160*P*

MAY C.N. *see* HAM I.W., MATHIAS C.J., MAY C.N. & STONE F.A. Intravenous morphine raises blood pressure in the conscious rabbit. (C) 95*P*

MEECH R.W. *see* ASHMORE J.F. & MEECH R.W. Three distinct potassium channels in outer hair cells isolated from the guinea-pig cochlea. (C) 29*P*

MEHTA J.G. *see* LONGDON Molly, MEHTA J.G., MORRISSEY Shelagh M. & WARD P Effect of tripotassium dicitrate bismuthate (De-nol) on the differentiation and quantitation of mucosubstances in the guinea-pig gastric antrum. (PC) 228*P*

MEKATA F. The role of hyperpolarization in the relaxation of smooth muscle of monkey coronary artery. 257

MELDRUM B.S. *see* HALSEY M.J., HAWLEY Diane, MELDRUM B.S. & WARDLEY-SMITH Bridget The effect of kynurenic acid on the high-pressure neurological syndrome in the rat. (C) 64*P*

MELDRUM L.A. *see* CALAM J. & MELDRUM L.A. Lorazepam inhibits the effects of cholecystokinin octapeptide on guinea-pig ileum but not on guinea-pig gall-bladder. (C) 140*P*

MELLANBY J.H. & SUNDSTROM L. Long-term reduction in excitability of rat dentate granule cells after tetanus toxin. (C) 49*P*

MEPHAM T.B. *see* FLEET I.R., FULLERTON F.M. & MEPHAM T.B. Effects of exogenous growth hormone on mammary function in lactating Friesland ewes. (PC) 211*P*

METCALFE J. *see* HART M.V., METCALFE J. & MORTON M.J. Changes in aortic function during normal human pregnancy. (PC) 254*P*

METZLER C.H. *see* LEE M.E., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Elevated left heart pressure causes increases in plasma levels of atrial natriuretic peptide (ANP) in conscious dogs. (PC) 247*P*

METZLER C.H. *see* BAXTER J.D., GARDNER D.G., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Role of atrial natriuretic peptide (ANP) in mineralocorticoid escape in the dog. (PC) 249*P*

MICHEL C.C. & MOYSES C. Fluid filtration into the feet of human subjects during quiet sitting. (C) 74*P*

MIFFLIN S.W. & RICHTER D.W. Repetitive firing properties of medullary respiratory neurones in the cat. (C) 116*P*

MILLER D.J. *see* HARRISON S.M., LAMONT Christine & MILLER D.J. Carnosine and other natural imidazoles enhance muscle Ca sensitivity and are mimicked by caffeine and AR-L 115BS. (C) 197*P*

MILLER N.G.A., ROSER B.J., STEPHENSON S. Paula & TRENEAR J.S. The use of new fluorochromes for identifying suppressor T cells in tolerance to tissue transplants. (D) (T) 27*P*

MIYAMAE Shunichi *see* KIMURA Junko, MIYAMAE Shunichi & NOMA Akinori Isolation of sodium–calcium exchange current in single ventricular cells of guinea-pig. (C) 191*P*

MOBBS Peter *see* ATTWELL David, BREW Helen, GRAY Peter & MOBBS Peter Single potassium channels in Müller cells of the salamander retina. (C) 35*P*

MOBBS Peter *see* ATTWELL D., MOBBS Peter, TESSIER-LAVIGNE M. & WILSON M. Noise changes associated with the action of glutamate on retinal bipolar cells from the salamander (*Ambystoma mexicanum*). (C) 39*P*

MONDON C.E. *see* AZHAR S., MONDON C.E. & REAVEN G.M. Differential responsiveness to adrenaline by slow- and fast-twitch rat skeletal muscle with increase in age. (C) 173*P*

MOORE W.M.O. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Effect of chloride replacement on the electrical activity of the pig placenta *in vitro*. (PC) 270*P*

MORGAN G. *see* HAMON Maureen, HEAP R.B., MORGAN G., WANGO E. & WOODING F.B.P. Steroid production by isolated binucleate cells from ruminant placenta. (PC) 218*P*

MORGAN G.P. *see* KELLY S.S., MORGAN G.P. & SMITH J. W. Calcium fluxes in skeletal muscle from dystrophic mice (129/ReJ stain). (C) 147*P*

MORRIS A.P. *see* GALLACHER D.V. & MORRIS A.P. Acetylcholine activation of K^+-channels in mouse submandibular acinar cells is largely dependent on extracellular calcium. (C) (T) 203*P*

MORRIS H.R. *see* GREENWALD S.E., LEVER M.J., MACINTYRE I., MORRIS H.R. & TIPPINS J.R. The effect of human calcitonin gene-related peptide (CGRP) on the pig coronary circulation. (C) 67*P*

MORRIS J.F. *see* FINK G., MORRIS J.F. & PEARSON J.E. Augmented release of LH from gonadotrophs of androgen insensitive *tfm* mice. (C) 180*P*

MORRISSEY Shelagh M. *see* LONGDON Molly, MEHTA J.G., MORRISSEY Shelagh M. & WARD P Effect of tripotassium dicitrate bismuthate (De-nol) on the differentiation and quantitation of mucosubstances in the guinea-pig gastric antrum. (PC) 228*P*

MORTON I.K.M. *see* HALL Judith M. & MORTON I.K.M. The effect of potassium channel blockers on the responses to substance P and other spasmogens in longitudinal smooth muscle from the guinea-pig ileum. (PC) 260*P*

MORTON M.J. *see* HART M.V., METCALFE J. & MORTON M.J. Changes in aortic function during normal human pregnancy. (PC) 254*P*

MORTON R.F. *see* LEE L.-Y. & MORTON R.F. Ventilatory responses to CO_2 inhaled through an isolated upper airway in conscious dogs. (PC) 235*P*

MOXHAM J. *see* HUGHES S.W., LANIGAN C., MOXHAM J. & PONTE J. Continuous measurement of oxygen consumption and carbon dioxide production in man. (PC) 233*P*

MOYSES C. *see* MICHEL C.C. & MOYSES C. Fluid filtration into the feet of human subjects during quiet sitting. (C) 74*P*

MUALLEM S. *see* BLISSARD D., MUALLEM S. & SACHS G. Cytosolic pH regulation of the resting and stimulated isolated gastric parietal cell from the rabbit. (C) 151*P*

MUBAGWA K. *see* CARMELIET E. & MUBAGWA K. Changes by acetylcholine of membrane currents in rabbit cardiac Purkinje fibres. 201

MUBAGWA K. *see* CARMELIET E. & MUBAGWA K. Characterization of the acetylcholine-induced potassium current in rabbit cardiac Purkinje fibres. 219

MUBAGWA K. *see* CARMELIET E. & MUBAGWA K. Desensitization of the acetylcholine-induced increase of potassium conductance in rabbit cardiac Purkinje fibres. 239

MUIR R.B. *see* LEMON R.N., MANTEL G.W.H. & MUIR R.B. The consequences of synchronization among cortico-motor neurones in the monkey. (C) 46*P*

MULRINE N.K. *see* COHEN I.S., DATYNER N.B., GINTANT G.A., JOHNSON S.J., MULRINE N.K. & PENNEFATHER P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190*P*

MULRYAN G. *see* MACDERMOTT Mary & MULRYAN G. Intracellular sodium and potassium activities in normal denervated rat skeletal muscles. (C) 148*P*

MUNN E.A. *see* COLEMAN G.S. & MUNN E.A. Cell-cell recognition in the selection of prey by the rumen ciliate *Polyplastron*. (D) (T) 27*P*

MUNN E.A. *see* DAUNCEY M.J., GREENWOOD C.A., INGRAM D.L. & MUNN E.A. Changes in porcine muscle mitochondria induced by environmental temperature and energy intake. (PC) 220*P*

MURAKAMI M. *see* KANNO T., MATSUMOTO T., MURAKAMI M., SEO Y. & WATARI H. Phosphorus nuclear magnetic resonance in isolated perfused rat pancreas. (C) 133*P*

MURPHY K. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

MURPHY K. *see* ADAMS L., GUZ A., HAMILTON R.D., INNES J.A. & MURPHY K. Beat-by-beat changes in stroke volume during the respiratory cycle in conscious man. (C) 128*P*

NAFTALIN R.J. *see* AHSAN M.A. & NAFTALIN R.J. Control of fluid secretion by presynaptic inhibition of acetylcholine release in the isolated rabbit intestine. (C) 139*P*

NAFTALIN R.J. *see* BLEAKMAN D. & NAFTALIN R.J. Modulation of acetylcholine release from isolated rabbit small intestinal submucosa by fluoride and lidamidine. (PC) 226*P*

NAIL B. *see* DAVIS P., MACEFIELD G. & NAIL B. Activation of single laryngeal motoneurones during asphyxic gasping in the anaesthetized rabbit. (C) 120*P*

NAKAO Masakazu *see* GADSBY David C. & NAKAO Masakazu Dependence of Na/K pump current on intracellular [Na] in isolated cells from guinea-pig ventricle. (C) 201*P*

NATTIE E.E. Intracisternal diethylpyrocarbonate (an imidazole binding agent) inhibits central ventilatory chemosensitivity in the rabbit. (PC) 236*P*

NEILD T.O. *see* KOTECHA N. & NEILD T.O. Relaxation of the smooth muscle of the rat tail artery associated with hyperpolarization of the smooth muscle. (PC) 261*P*

NELSON L. *see* CHAKRABORTY J., JHUNJHUNWALA J.S., NELSON L. & SINHA HIKIM A.P. Pathophysiology of human testis – mechanism of germ-cell degeneration. (C) (T) 203*P*

NEWMAN R. *see* BEADLE D.J., BENSON J.A., LEES G. & NEWMAN R. Flunitrazepam and pentobarbital modulate GABA responses of insect neuronal somata. (PC) 273*P*

NEWSOM-DAVIS J. *see* LANDE S., LANG B., NEWSOM-DAVIS J. & WRAY D. Site of action of Lambert-Eaton myasthenic syndrome antibodies at mouse motor nerve terminals. (C) 61*P*

NICHOLSON C. *see* CHAN C.Y. & NICHOLSON C. Modulation by applied electric fields of Purkinje and stellate cell activity in the isolated turtle cerebellum. 89

NICOLOPOULOS S. *see* HEADLEY P.M., NICOLOPOULOS S., PARSONS C.G., WEST D.C. & WIK-LUND L. Evidence that an amino acid is an excitatory transmitter of the projection from periaqueductal grey to raphe magnus in the rat. (C) 51*P*

NIEMAN G.F. *see* BREDENBERG C.E. & NIEMAN G.F. The relationship between changes in lung volume and subpleural alveolar surface area, volume and number in the dog. (PC) 232*P*

NIEMAN G.F. *see* BRENDENBERG C.E., CLARK W.R., GOYETTE D.A., HART A.K. & NIEMAN G.F. The effect of wood smoke inhalation on canine pulmonary endothelial permeability. (PC) 242*P*

NOBLE A.R. & PARKER Jane C. Effect of β-blockade with atenolol on the increased plasma active and inactive renin produced by the converting enzyme inhibitor enalapril: studies in conscious sheep. (C) 94*P*

NOBLE D. *see* HILGEMANN D. & NOBLE D. Simulation of extracellular Ca transients in rabbit cardiac muscle. (C) 195*P*

NOIREAUD J. *see* ELLIS D. & NOIREAUD J. The changes of intracellular pH during hypoxia and recovery from hypoxia in cardiac tissue from ferret and sheep. (PC) 255*P*

NÖLL G.N. *see* BAUMANN C., NÖLL G.N. & SCHMIDT K.-F. Slow changes of the membrane potential and photoresponses of isolated frog retinal rods investigated by the whole-cell patch clamp technique. (C) 34*P*

NOMA Akinori *see* KIMURA Junko, MIYAMAE Shunichi & NOMA Akinori Isolation of sodium–calcium exchange current in single ventricular cells of guinea-pig. (C) 191*P*

NORDBY K. *see* HESS R.F. & NORDBY K. Spatial and temporal limits of vision in the achromat. 365

NORDBY K. *see* HESS R.F. & NORDBY K. Spatial and temporal properties of human rod vision in the achromat. 387

NORMAN P.S.R. *see* MANN G.E. & NORMAN P.S.R. Effects of ouabain, monesin and low potassium on neutral amino acid transport in the isolated perfused rat exocrine pancreas. (C) 132*P*

NOSEK T.M. *see* GODT R.E. & NOSEK T.M. The changes in intracellular milieu accompanying fatigue or hypoxia depress the contractile machinery of rabbit skeletal and guinea-pig cardiac muscle fibres. (C) 174*P*

NUNAN L. *see* DRAY A. & NUNAN L. Separate supra-spinal and spinal mechanisms mediate morphine-induced inhibition of reflex urinary bladder contractions in the rat. (PC) 258*P*

NUNN B.J. *see* BAYLOR D.A. & NUNN B.J. Electrical properties of the light-sensitive conductance of rods of the salamander *Ambystoma tigrinum*. 115

NUNN B.J. *see* CERVETTO L., MCNAUGHTON P.A. & NUNN B.J. Aequorin signals from isolated salamander rods. (C) 36*P*

NUNN B.J. *see* HODGKIN A.L., MCNAUGHTON P.A. & NUNN B.J. Modulation of ionic current by light in salamander rods. (C) 37*P*

O'Byrne K.T. *see* Eltringham L., O'Byrne K.T. & Summerlee A.J.S. Opioids, from the adrenal glands, may mediate relaxin inhibition of oxytocin release in lactating rats. (C) 183*P*

O'Callaghan P.A. & Sheehan J.D. Vasopressin and baroreflex sensitivity in man. (C) 89*P*

Ogilvy K.A., Randall D.C. & White G.N. Effect of β-adrenergic blockade on shortening of 'marginally ischaemic' myocardium during classical appetitive conditioning in baboon. (PC) 253*P*

Oliver M.H. *see* Laurent G.J., Oliver M.H. & Turner Jill E. Biochemical changes in the right ventricle resulting from bleomycin-induced lung fibrosis in the rabbit: a model of cardiac hypertrophy. (C) 28*P*

Ordway George A. & Pitetti Kenneth H. Stimulation of pulmonary C fibres decreases coronary arterial resistance in dogs. 277

Osborne J.E. *see* Harrison F.A., Osborne J.E. & Ryder C.M. An automatic feeder for sheep. (D) 7*P*

Osborne J.E. *see* Dauncey M.J., Ingram D.L., Osborne J.E. & Toner J.N. Radiotelemetry of deep body temperature from one piglet within a group. (D) 8*P*

Pack A.I. *see* Davies R.O., Kubin L. & Pack A.I. Contralateral projections of pump neurones of the nucleus of the solitary tract in the cat. (C) 118*P*

Paintal A.S. *see* Anand Ashima, Paintal A.S. & Whitteridge D. Phosgene stimulates J receptors and produces increased respiratory drive in cats. (C) 109*P*

Pappenheimer J.R. & Zich K.E. Absorption of hydrophilic solutes from the rat small intestine. (C) 138*P*

Parfett Greta *see* Bolam P.G., Imms F.J., Lee Wen-Sen, Ludlow P.G. & Parfett Greta Blood flow following occlusion of the circulation to the human forearm. (C) 73*P*

Paris Frances *see* Ellis Susan T., Heap R.B., Paris Frances, Stanley C.J. & Webb Anne E. A rapid enzyme-amplified immunoassay for progesterone in bovine milk using a monoclonal antibody. (D) 2*P*

Parker Jane C. *see* Noble A.R. & Parker Jane C. Effect of β-blockade with atenolol on the increased plasma active and inactive renin produced by the converting enzyme inhibitor enalapril: studies in conscious sheep. (C) 94*P*

Parrott R.F. *see* Baldwin B.A., Heavens R.P., Kendrick K.M., Parrott R.F., Sharman D.F. & Thornton S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

Parsons C.G. *see* Headley P.M., Nicolopoulos S., Parsons C.G., West D.C. & Wik-Lund L. Evidence that an amino acid is an excitatory transmitter of the projection from periaqueductal grey to raphe magnus in the rat. (C) 51*P*

Partanen M. *see* Laitinen Annika, Laitinen L.A. & Partanen M. Morphology of presumed afferent nerve fibres in the epithelium and in the smooth muscle layer of human respiratory tract. (PC) 238*P*

Patuzzi R.B. A model of the generation of the cochlear microphonic with nonlinear hair cell transduction and nonlinear basilar membrane vibration. (C) 32*P*

Pearson J.E. *see* Fink G., Morris J.F. & Pearson J.E. Augmented release of LH from gonadotrophs of androgen insensitive *tfm* mice. (C) 180*P*

Pécot-Dechavassine Monique Increase in polyneuronal innervation in frog muscle after muscle injury. 167

Peet M.J. *see* McLennan H. & Peet M.J. Mechanisms of amino acid-evoked excitation of rat CA1 pyramidal neurones in hippocampal slices. (PC) 272*P*

Pennefather P. *see* Cohen I.S., Datyner N.B., Gintant G.A., Johnson S.J., Mulrine N.K. & Pennefather P. Na/K (electrogenic) pump current in isolated canine cardiac Purkinje myocytes. (C) 190*P*

Penney D.G. Early cardiovascular stress irreversibly alters heart structure and function in the rat. (C) 76*P*

Penny Jacqueline C. *see* Bicknell R.J., Diez-Guerra F.J., Dyer R.G., Emson P.C. & Penny Jacqueline C. Catecholamine release from isolated hypothalamic nuclei of the rat. (D) (T) 26*P*

Penny Jacqueline C. *see* Bicknell R.J. & Penny Jacqueline C. Opioids inhibit noradrenaline release in rat supraoptic nucleus and neurohypophysis. (PC) 215*P*

Perks A.M. *see* Cassin S., Dyer R., Gause G. & Perks A.M. The effects of loop diuretics and ouabain on lung liquid secretion in fetal sheep and guinea-pig. (PC) 240*P*

Perl D. *see* Godt R., Good P., Maughan D., Perl D. & Tanner B. Cytosol constituents from frog skeletal muscle determined by laser micro-probe mass analysis. (C) 160*P*

Petersen M.J. *see* Farr L.A., Campbell-Grossman C., Mack J.M., Langenberg-Panzer S.L., Petersen M.J. & Smith T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

PETERSEN O.H. *see* SUZUKI K. & PETERSEN O.H. Cholecystokinin activates K^+-channels via internal messenger in pig pancreatic acinar cells. (C) 158*P*

PETTE D. *see* MAIER L., PETTE D. & RATHMAYER W. Enzyme activities in single electrophysiologically identified crab muscle fibres. 191

PEYSNER K. *see* AL-SENDI Aneesa, FORSLING Mary L., KHAN M. & PEYSNER K. Fluid balance in cycling rats and ovariectomized rats treated with oestradiol benzoate. (C) 189*P*

PHILIP H.I. *see* COLE J.D., PHILIP H.I. & SEDGWICK E.M. An effect of unilateral frontoparietal cortical lesions on ipsilateral as well as contralateral digit tremor in man. (C) 53*P*

PHILLIPS M. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

PICHON Y. *see* BEADLE C.A., BEADLE D.J., PICHON Y. & SHIMAHARA T. Patch-clamp and noise analysis studies of cholinergic properties of cultured cockroach neurones. (C) 145*P*

PIRIE Susan C. & POTTS D.J. The effects of three transplant preservation solutions upon cell sectional area (c.s.a.) of isolated perfused proximal convoluted tubules of the rabbit kidney after rewarming to 37 °C. (C) 103*P*

PITETTI Kenneth H. *see* ORDWAY George A. & PITETTI Kenneth H. Stimulation of pulmonary C fibres decreases coronary arterial resistance in dogs. 277

POLLARD C.E. *see* ANGEL A. & POLLARD C.E. Cortical evoked responses during changes in electrocortical activity in the rat. (C) 45*P*

PONTE J. & SADLER C.L. Effects of oligomycin upon carotid body chemoreceptors of the cat and rabbit. (C) 112*P*

PONTE J. *see* HUGHES S.W., LANIGAN C., MOXHAM J. & PONTE J. Continuous measurement of oxygen consumption and carbon dioxide production in man. (PC) 233*P*

PORTER I.D. & WHITEHOUSE B.J. Effect of field stimulation on the secretion of steroids by the perfused rat adrenal gland. (PC) 227*P*

POSNER P. *see* BAKER S.P. & POSNER P. Cardiac effects of chronic ethanol ingestion in the ageing rat. (C) 81*P*

POTTS D.J. *see* PIRIE Susan C. & POTTS D.J. The effects of three transplant preservation solutions upon cell sectional area (c.s.a.) of isolated perfused proximal convoluted tubules of the rabbit kidney after rewarming to 37 °C. (C) 103*P*

POULAIN D.A. *see* CROSS B.A., POULAIN D.A., THEODOSIS Dennise T. & VINCENT J.D. A videotape for teaching the principles of the milk-ejection reflex. (D) (T) 26*P*

POULAIN D.A. *see* COBBETT P., MASON W.T. & POULAIN D.A. Intracellular analysis of control of rat supraoptic neurone (SON) activity *in vitro* by acetylcholine (ACh). (PC) 216*P*

POWIS D.A. *see* CULL-CANDY S.G., MATHIE A. & POWIS D.A. Influence of the *a*-adrenoceptor agonist clonidine on single acetylcholine-receptor channels in bovine chromaffin cells. (C) 157*P*

PRALONG W.F. & STRAUB R.W. Increase in free Ca in rabbit nerve axons during electrical activity measured by quin 2. (PC) 266*P*

PRICE D.J. *see* BOWSER-RILEY F. & PRICE D.J. A remotely controlled revolving injection apparatus to investigate the actions of anaesthetic agents under hyperbaric conditions. (D) 17*P*

PRICE S. *see* HUDLICKA O. & PRICE S. The effect of long-term electrical stimulation on capillary density, blood flow and muscle performance in rat fast muscles with limited blood supply. (C) 86*P*

PRIOLA D.V. *see* ANAGNOSTELIS C., BLOMQUIST T. & PRIOLA D.V. Qualitative differences in atrial and ventricular inotropic responses to cholinergic stimulation in the dog. (PC) 252*P*

PUBLICOVER Nelson G. & SANDERS Kenton M. Effects of frequency on the wave form of propagated slow waves in canine gastric antral muscle. 179

PUBLICOVER N.G. & SANDERS K.M. Pace-maker frequency regulates the wave forms of electrical slow waves in canine gastric antral muscles. (PC) (T) 282*P*

PUTNAM R.W. & ROOS A. Inhibition of Na/H exchange by external divalent cations in frog skeletal muscle. (C) 152*P*

QUAYLE J.M., SMITH R.A.J. & WARD T.A. A low-cost system for on-line pulse generation, patch-clamp current sampling and analysis. (D) 13*P*

RACKÉ K. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked release of 5-hydroxytryptamine (5-HT) from the neurointermediate lobe (NIL) of the isolated rat hypophysis is inhibited by concomitant dopamine (DA) release. (C) 186*P*

RAGGENBASS M. *see* DREIFUSS J.J., RAGGENBASS M. & WUARIN J.-P. Tachykinins excite non-pyramidal neurones in rat hippocampus. (C) 50*P*

RAKOTONIRINA V.S. *see* DÉLÈZE J., LAZRAK A. & RAKOTONIRINA V.S. Isolation of the tubular action potential in the frog skeletal muscle fibre. (C) 149*P*

RAKOWSKI R.F. *see* DE WEER Paul, GADSBY David C. & RAKOWSKI R.F. Voltage dependence of Na/K pump-mediated ^{22}Na efflux and current in squid giant axon. (C) 144*P*

RAKOWSKI R.F. *see* ASHLEY C.C., GRIFFITHS P.J. & RAKOWSKI R.F. Gating current in giant barnacle (*Balanus nubilus*) muscle fibres. (PC) 268*P*

RALL J.A., WILSON M.G.A. & WOLEDGE R.C. Variation in tetanus force production per cross-sectional area in single fibres from frog skeletal muscle. (C) 169*P*

RAMSAY D.J. *see* LEE M.E., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Elevated left heart pressure causes increases in plasma levels of atrial natriuretic peptide (ANP) in conscious dogs. (PC) 247*P*

RAMSAY D.J. *see* BAXTER J.D., GARDNER D.G., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Role of atrial natriuretic peptide (ANP) in mineralocorticoid escape in the dog. (PC) 249*P*

RANDALL D.C. *see* OGILVY K.A., RANDALL D.C. & WHITE G.N. Effect of β-adrenergic blockade on shortening of 'marginally ischaemic' myocardium during classical appetitive conditioning in baboon. (PC) 253*P*

RANDALL W.C. *see* ARDELL J.L., GEIS G.S., RANDALL W.C. & WURSTER R.D. Selective innervation of sinoatrial and atrioventricular nodes in the canine heart. (C) 66*P*

RANKIN A.J. *see* COURNEYA C.A., LEDSOME J.R., RANKIN A.J. & WILSON N. Tachycardia releases immunoreactive atrial natriuretic peptide in the rabbit. (PC) 250*P*

RASTEGAR K. *see* GARDNER-MEDWIN A.R. & RASTEGAR K. Independent binocular displays on a microcomputer screen. (D) 23*P*

RATHMAYER W. *see* MAIER L., PETTE D. & RATHMAYER W. Enzyme activities in single electrophysiologically identified crab muscle fibres. 191

RATNER A., ROSENTHAL M.J. & YELVINGTON D.B. Prolactin (PRL) and corticosterone (CORT) responses to footshock in sick and healthy rats. (PC) 276*P*

RAY D.A. *see* LESSLER M.A. & RAY D.A. Dietary lead inhibits avian bone fracture healing. (PC) 223*P*

RAYMOND R.M. *see* KLEIN D.M. & RAYMOND R.M. Uncoupling of myocardial oxygen consumption from energy production and work during endotoxic shock in dogs. (PC) 251*P*

REAVEN G.M. *see* AZHAR S., MONDON C.E. & REAVEN G.M. Differential responsiveness to adrenaline by slow- and fast-twitch rat skeletal muscle with increase in age. (C) 173*P*

REENSTRA W.W. *see* FORTE J.G. & REENSTRA W.W. Potassium transport by bullfrog gastric mucosa. (C) 137*P*

REESE T.S. *see* FRØKJAER-JENSEN J. & REESE T.S. Three-dimensional organization of the plasmalemmal vesicular system in directly frozen, freeze-substituted frog mesenteric capillaries. (C) 84*P*

REES H. & ROBERTS M.H.T. The effects of pretectal stimulation on the responsiveness of spinal dorsal horn neurones in the rat. (C) 52*P*

REES Lesley H. *see* BLAKELEY Diane M., BROWN K.D., CARR J., CORPS A.N. & REES Lesley H. Stimulation of cell growth by polypeptide growth factors in human mammary secretions. (PC) 206*P*

REID A.M. & TITCHEN D.A. Reflex stimulation of parotid secretion in sheep after atropine and cervical sympathetic ganglionectomy. (C) 129*P*

REVEST P.A. Inhibition of Na-dependent glutamate uptake into barnacle muscle by glutamate analogues and guanidinium. (C) 163*P*

RICHARDS D.E. *see* GLYNN I.M., HARA Y., RICHARDS D.E. & STEINBERG M. Parallel studies of cation release and conformational change in dog kidney Na,K-ATPase. (PC) 256*P*

RICHTER D.W. *see* MIFFLIN S.W. & RICHTER D.W. Repetitive firing properties of medullary respiratory neurones in the cat. (C) 116*P*

RITCHIE J.M. *see* GRAY P.T.A. & RITCHIE J.M. The voltage-gated chloride conductance of rat astrocytes. (C) 141*P*

ROBERTS A. *see* BOYETT M.R., LEVI A.J. & ROBERTS A. The decline in the response to acetylcholine (ACh) mediated by the muscarinic cholinoceptor of the rabbit sino-atrial node: a biphasic process. (C) 198*P*

ROBERTS C.S. *see* BAKER P.F., GRAFENSTEIN H.R.K. v. & ROBERTS C.S. Membrane retrieval following stimulation of exocytosis in cultured bovine adrenal medullary cells: lack of effect of extracellular Ca (C) 156*P*

ROBERTS M.H.T. *see* REES H. & ROBERTS M.H.T. The effects of pretectal stimulation on the responsiveness of spinal dorsal horn neurones in the rat. (C) 52*P*

ROMAYA J. & ZEKI S. Rotatable, three-dimensional computer reconstruction of the macaque monkey brain. (D) 25*P*

ROMEY G. *see* COGNARD C., LAZDUNSKI M. & ROMEY G. Contribution of the apamin-sensitive Ca^{2+}-activated K^+ current in the 'apparent' inactivation of the Ca^{2+} current in mammalian skeletal muscle. (PC) 263*P*

ROMEY G. *see* COGNARD C., LAZDUNSKI M. & ROMEY G. Different types of voltage-dependent calcium channels in rat skeletal muscle cells in culture: electrophysiological and pharmacological properties. (PC) 264*P*

ROOS A. *see* PUTNAM R.W. & ROOS A. Inhibition of Na/H exchange by external divalent cations in frog skeletal muscle. (C) 152*P*

ROSENBERG M.E. *see* KING M.R. & ROSENBERG M.E. Neurones in the superior colliculus of the gerbil responsive to the direction of movement of an auditory stimulus in open field. (PC) 278*P*

ROSENTHAL M.J. *see* RATNER A., ROSENTHAL M.J. & YELVINGTON D.B. Prolactin (PRL) and corticosterone (CORT) responses to footshock in sick and healthy rats. (PC) 276*P*

ROSER B.J. *see* MILLER N.G.A., ROSER B.J., STEPHENSON S. Paula & TRENEAR J.S. The use of new fluorochromes for identifying suppressor T cells in tolerance to tissue transplants. (D) (T) 27*P*

ROWE J.S. GABA depolarizes horizontal cells in goldfish retina perfused with low calcium. (C) 38*P*

RUBENSTEIN D.S. *see* LIPSIUS S.L. & RUBENSTEIN D.S. Slow inward current and intracellular calcium mediate subsidiary atrial pacemaker automaticity in the cat. (C) 193*P*

RUBIO R. *see* BERRIDGE M. & RUBIO R. Inhibition by extracellular K^+ (K_o) on the rate of PI turnover in the 5-HT-stimulated blow fly salivary gland. (PC) 225*P*

RUBIO R. *see* BENCHERIF M., BERNE R.M. & RUBIO R. The release of purines by the frog sympathetic ganglion is the result of activation of postsynaptic elements. (PC) 274*P*

RUSSELL J.A. *see* BICKNELL R.J., LENG G. & RUSSELL J.A. A model system for the study of morphine dependence and withdrawal in identified peptidergic neurones in the rat. (D) 4*P*

RUSSELL J.A. *see* LENG G. & RUSSELL J.A. Release of oxytocin by stimulation in the anteroventral region of the third ventricle in the rat. (D) (T) 26*P*

RUSSELL J.A. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

RUSSELL N.J.W. *see* ARMSTRONG D.J., KAY I.S. & RUSSELL N.J.W. The pulmonary chemoreflexes evoked by phenyl biguanide, diguanide and guanidine in anaesthetized rabbits. (C) 115*P*

RYALL R.W. On-line acquisition, analysis, display and storage of analogue or digital electrophysiological data with the BBC microcomputer. (D) 14*P*

RYDER C.M. *see* HARRISON F.A., OSBORNE J.E. & RYDER C.M. An automatic feeder for sheep. (D) 7*P*

SACHS G. *see* BLISSARD D., MUALLEM S. & SACHS G. Cytosolic pH regulation of the resting and stimulated isolated gastric parietal cell from the rabbit. (C) 151*P*

SADLER C.L. *see* PONTE J. & SADLER C.L. Effects of oligomycin upon carotid body chemoreceptors of the cat and rabbit. (C) 112*P*

SALT T.E. *N*-methylaspartate receptors and synaptic excitation in the rat ventrobasal thalamus. (C) 44*P*

SANDERS Kenton M. *see* PUBLICOVER Nelson G. & SANDERS Kenton M. Effects of frequency on the wave form of propagated slow waves in canine gastric antral muscle. 179

SANDERS K.M. *see* PUBLICOVER N.G. & SANDERS K.M. Pace-maker frequency regulates the wave forms of electrical slow waves in canine gastric antral muscles. (PC) 282*P*

SANEII H.H. *see* BREUHAUS B.A., CHIMOSKEY J.E., SANEII H.H., SPARKS H.V. & WANGLER R.D. Synthetic (23-amino acid) atrial natriuretic peptide lowers cardiac output in conscious sheep and constricts coronary arteries in isolated guinea-pig hearts. (C) 82*P*

SANT'AMBROGIO Franca B. *see* MATHEW Oommen P., SANT'AMBROGIO Franca B. & SANT'AMBROGIO Giuseppe Effect of cold air on laryngeal mechanoreceptors of the dog. (C) 110*P*

SANT'AMBROGIO Giuseppe *see* MATHEW Oommen P., SANT'AMBROGIO Franca B. & SANT'AMBROGIO Giuseppe Effect of cold air on laryngeal mechanoreceptors of the dog. (C) 110*P*

SARGEANT A.J. *see* GREIG C., SARGEANT A.J. & VØLLESTAD N.K. Muscle force and fibre recruitment during dynamic exercise in man. (C) 176*P*

SAUMON Georges *see* BASSET Guy, CRONE Christian & SAUMON Georges The rat alveolar membrane – an epithelium performing sodium-coupled water absorption. (C) 168*P*

SAYERS A.J. & TREGEAR R.T. An apparatus to study the mechanics of muscle fibres at temperatures below 0 °C. (D) (T) 27*P*

SCHLUE W.R. *see* DEITMER J.W. & SCHLUE W.R. Measurement of intracellular pH in identified leech glial cells using double-barrelled micro-electrodes. (C) 154*P*

SCHMIDT K.-F. *see* BAUMANN C., NÖLL G.N. & SCHMIDT K.-F. Slow changes of the membrane potential and photoresponses of isolated frog retinal rods investigated by the whole-cell patch clamp technique. (C) 34*P*

SCHOFIELD C.N. *see* KUAN Y.F. & SCHOFIELD C.N. Organic Ca-channel blockers are without effects on synaptic transmission in slices of guinea-pig olfactory cortex. (PC) 271*P*

SCHOLFIELD C.N. Evidence for adenosine blockade of synpatic transmission by enhancement of presynaptic K conductance in guinea-pig brain slices. (C) 63*P*

SCOTT S. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

SEDGWICK E.M. *see* COLE J.D., PHILIP H.I. & SEDGWICK E.M. An effect of unilateral frontoparietal cortical lesions on ipsilateral as well as contralateral digit tremor in man. (C) 53*P*

SEE W.R. *see* COHEN M.I., SEE W.R. & SICA A.L. Factors influencing the inspiratory–facilitatory response to lung inflation in the decerebrate cat. (PC) 237*P*

SEMPLE S.J.G. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

SEO Y. *see* KANNO T., MATSUMOTO T., MURAKAMI M., SEO Y. & WATARI H. Phosphorus nuclear magnetic resonance in isolated perfused rat pancreas. (C) 133*P*

SEPÚLVEDA F.V. & SMITH S.M. Use of permeabilized enterocytes to study Ca buffering by intracellular stores. (PC) 282*P*

SEXTON W.L. *see* COFFMAN J.R., DEBOWES R.M., ERICKSON H.H., SEXTON W.L. & SIGLER D.H. Effects of training on cardiovascular function in the American Quarter horse. (C) 78*P*

SHARE L. *see* BROOKS D.P., CROFTON Joan T. & SHARE L. The metabolic clearance rate for vasopressin and the pressor responsiveness to vasopressin in conscious male and female rats. (C) 90*P*

SHARE L. *see* BROOKS D.P., CROFTON Joan T. & SHARE L. The role of brain prostaglandins in osmotic-induced vasopressin secretion in the rat. (C) 92*P*

SHARMAN D.F. *see* BALDWIN B.A., HEAVENS R.P., KENDRICK K.M., PARROTT R.F., SHARMAN D.F. & THORNTON S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

SHARMAN D.F. *see* BALDWIN B.A., COOPER T.R., HEAVENS R.P., KENDRICK K.M. & SHARMAN D.F. A method for neurochemical sampling, using intracranial dialysis, in the conscious sheep. (D) 11*P*

SHARMAN D.F. *see* COOPER T.R. & SHARMAN D.F. A fluorimetric method for the estimation of acetylcholinesterase activity in small volumes of cerebrospinal fluid using acetylcholine as substrate. (D) 12*P*

SHARMAN D.F. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked release of 5-hydroxytryptamine (5-HT) from the neurointermediate lobe (NIL) of the isolated rat hypophysis is inhibited by concomitant dopamine (DA) release. (C) 186*P*

SHEEHAN J.D. *see* O'CALLAGHAN P.A. & SHEEHAN J.D. Vasopressin and baroreflex sensitivity in man. (C) 89*P*

SHEETS M.F. *see* FOZZARD H.A., HANCK D.A., MAKIELSKI J.C. & SHEETS M.F. Shift in inactivation and activation parameters of Na^+ current in internally dialysed canine cardiac Purkinje cells. (C) 194*P*

SHELDRICK Elizabeth L. Actions of the uterine oxytocin receptor in the cyclic ewe. (PC) 205*P*

SHELDRICK Elizabeth L. *see* FLINT A.P.F., SHELDRICK Elizabeth L., THEODOSIS Dennise T. & WOODING F.B.P. Storage of oxytocin and neurophysin in the secretory granules of ovine large luteal cells. (PC) 217*P*

SHENNAN D.B. *see* BOYD C.A.R., GIBSON K., SHENNAN D.B. & WEBB K.L. Sulphate transport by human placental microvillus brush border membrane vesicles. (C) 167*P*

SHEPARD J.M. *see* GROPPER M.A., SHEPARD J.M. & STAUB N.C. Arterial and venous leakage in isolated Zone I dog lung lobes give equal interstitial albumin concentrations. (PC) 243*P*

SHIMAHARA T. *see* BEADLE C.A., BEADLE D.J., PICHON Y. & SHIMAHARA T. Patch-clamp and noise analysis studies of cholinergic properties of cultured cockroach neurones. (C) 145*P*

SIBLEY C.P. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Effect of chloride replacement on the electrical activity of the pig placenta *in vitro*. (PC) 270*P*

SICA A.L. *see* COHEN M.I., SEE W.R. & SICA A.L. Factors influencing the inspiratory–facilitatory response to lung inflation in the decerebrate cat. (PC) 237*P*

SIGLER D.H. *see* COFFMAN J.R., DEBOWES R.M., ERICKSON H.H., SEXTON W.L. & SIGLER D.H. Effects of training on cardiovascular function in the American Quarter horse. (C) 78*P*

SILLITO A.M. *see* LYNCH R.C.J. & SILLITO A.M. Binocular excitatory input to Y cells in lamina C of the cat dorsal lateral geniculate nucleus (dLGN). (C) 42*P*

SILVERBERG G.D. *see* HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. The action potential and underlying ionic currents in proximal rat middle cerebral arterioles. 289

SILVERBERG G.D. *see* HILL Caryl E., HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. Sympathetic innervation and excitability of arterioles originating from the rat middle cerebral artery. 305

SINHA HIKIM A.P. *see* CHAKRABORTY J., JHUNJHUNWALA J.S., NELSON L. & SINHA HIKIM A.P. Pathophysiology of human testis – mechanism of germ-cell degeneration. (C) (T) 203*P*

SIRINATHSINGHJI D.J.S. Analysis of striatal dopamine concentrations in freely moving rats subjected to lesions of nigro-striatal tract. (D) (T) 26*P*

SIRINATHSINGHJI D.J.S. Neurochemical indices of the contralateral circling behaviour in the rat induced by acute unilateral intranigral infusions of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. (PC) 214*P*

SLEIGHT P. *see* CONWAY J., SLEIGHT P. & SOMERS V.K. The effect of sleep and physical training on heart period in man. (C) 77*P*

SMITH J. W. *see* KELLY S.S., MORGAN G.P. & SMITH J. W. Calcium fluxes in skeletal muscle from dystrophic mice (129/ReJ stain). (C) 147*P*

SMITH R.A.J. *see* QUAYLE J.M., SMITH R.A.J. & WARD T.A. A low-cost system for on-line pulse generation, patch-clamp current sampling and analysis. (D) 13*P*

SMITH R.E. *see* EDWARDS A.V., GARRETT J.R., LIAO J. & SMITH R.E. Testing for possible movement of kallikrein to the blood from submandibular glands on nerve stimulation in cats. (C) 97*P*

SMITH R.R. *see* CLOWER B.R., DOUGLAS B.H., HAINING J.L. & SMITH R.R. Role of blood platelets in cerebral haemorrhagic arteriopathy in the cat. (C) 80*P*

SMITH S.M. *see* SEPÚLVEDA F.V. & SMITH S.M. Use of permeabilized enterocytes to study Ca buffering by intracellular stores. (PC) 282*P*

SMITH T.J. *see* FARR L.A., CAMPBELL-GROSSMAN C., MACK J.M., LANGENBERG-PANZER S.L., PETERSEN M.J. & SMITH T.J. Prevention of circadian disruption following surgery using caffeine as a cue. (PC) 224*P*

SOLOMON L. *see* ATHERTON J.C., BOBINSKI H. & SOLOMON L. Plasma atrial natriuretic peptide (ANP) and renal function during extracellular fluid volume expansion in man. (PC) 246*P*

SOLOMON S. *see* HILL M. & SOLOMON S. Interaction of blood volume expansion and atrial peptide in producing diuresis and natriuresis in the rat. (PC) 248*P*

SOMERS V.K. *see* CONWAY J., SLEIGHT P. & SOMERS V.K. The effect of sleep and physical training on heart period in man. (C) 77*P*

SPARKS H.V. *see* BREUHAUS B.A., CHIMOSKEY J.E., SANEII H.H., SPARKS H.V. & WANGLER R.D. Synthetic (23-amino acid) atrial natriuretic peptide lowers cardiac output in conscious sheep and constricts coronary arteries in isolated guinea-pig hearts. (C) 82*P*

SPRENKLE J.M. *see* EBERT T.J., ECKBERG D.L. & SPRENKLE J.M. The importance of neural-cardiac regulation in the control of blood pressure during vasopressin infusions in man. (C) 91*P*

SPRIET L.L. *see* HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) 282*P*

SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. Adenosine triphosphate-regulated potassium channels in frog skeletal muscle, investigated using single-channel recording. (C) (T) 203*P*

SPYER K.M. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Differential changes in the synaptic rhythm of caudal medullary expiratory bulbospinal neurones in response to hypothalamic stimulation in the cat. (C) 117*P*

SPYER K.M. *see* COX G.E., DASHWOOD M.R., JORDAN D. & SPYER K.M. An autoradiographic and ionophoretic study of muscarinic receptors in the dorsomedial medulla of the rabbit. (C) 119*P*

STANDEN N.B. *see* SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. Adenosine triphosphate-regulated potassium channels in frog skeletal muscle, investigated using single-channel recording. (C) (T) 203*P*

STANFIELD P.R. *see* SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. Adenosine triphosphate-regulated potassium channels in frog skeletal muscle, investigated using single-channel recording. (C) (T) 203*P*

STANLEY C.J. *see* ELLIS Susan T., HEAP R.B., PARIS Frances, STANLEY C.J. & WEBB Anne E. A rapid enzyme-amplified immunoassay for progesterone in bovine milk using a monoclonal antibody. (D) 2*P*

STAUB N.C. *see* GROPPER M.A., SHEPARD J.M. & STAUB N.C. Arterial and venous leakage in isolated Zone I dog lung lobes give equal interstitial albumin concentrations. (PC) 243*P*

STAVENGA D.G. & TINBERGEN J. Light-dependence of mitochondrial activity and pupillary pigment migration in blowfly photoreceptors. (C) 33*P*

STEINBERG M. *see* GLYNN I.M., HARA Y., RICHARDS D.E. & STEINBERG M. Parallel studies of cation release and conformational change in dog kidney Na,K-ATPase. (PC) 256*P*

STEIN Janet M. & TUCKER Elizabeth M. L antigen and active potassium transport in HK and LK red cells of Barbary sheep. (PC) 219*P*

STEPHENS J.A. *see* DATTA A.K., BAKER Jean R. & STEPHENS J.A. A new technique to assess the ongoing short-term synchronization in individual motor units during different voluntary movements in man. (D) 19*P*

STEPHENSON R. *see* BUTLER P.J., STEPHENSON R. & WOAKES A.J. Variability of the heart rate response during voluntary diving in the tufted duck, *Aythya fuligula*. (C) 69*P*

STEPHENSON S. Paula *see* MILLER N.G.A., ROSER B.J., STEPHENSON S. Paula & TRENEAR J.S. The use of new fluorochromes for identifying suppressor T cells in tolerance to tissue transplants. (D) (T) 27*P*

STERKERS Olivier *see* BERNARD Christian, FERRARY Evelyne & STERKERS Olivier Production of endolymph in the semicircular canal of the frog *Rana esculenta*. 17

STEVENSON Anne G. *see* HARRISON F.A., HILLS F., HOLMES P.H. & STEVENSON Anne G. The effect of anthelmintic treatment on gastrointestinal loss of plasma proteins in sheep infected with *Haemonchus contortus*. (PC) 209*P*

STIDWILL R.P. *see* ANNASTASIADES E., CROSS Brenda A., GUZ A., LEAVER Kathryn D., MURPHY K., PHILLIPS M., SEMPLE S.J.G. & STIDWILL R.P. Continuous arterial pH measurement during exercise in patients with arteriovenous shunts. (C) 122*P*

STIRLAND J.A. *see* CUTTING R., FITZSIMONS N., GOSDEN R.G., HUMPHREYS E.M., RUSSELL J.A., SCOTT S. & STIRLAND J.A. Evidence that morphine interrupts parturition in rats by inhibiting oxytocin secretion. (C) 182*P*

STITT J.T. The effects of low ambient temperature on the febrile responses of rats to endogenous pyrogen and prostaglandin E. (PC) 221*P*

STOKES W.N. *see* BANKS D., HARRIS M.C. & STOKES W.N. Carotid body chemoreceptor stimulation in rats activates large areas of the forebrain but not the hypothalamus. (C) 114*P*

STONE F.A. *see* HAM I.W., MATHIAS C.J., MAY C.N. & STONE F.A. Intravenous morphine raises blood pressure in the conscious rabbit. (C) 95*P*

STRAUB R.W. *see* PRALONG W.F. & STRAUB R.W. Increase in free Ca in rabbit nerve axons during electrical activity measured by quin 2. (PC) 266*P*

ŠTULC J. & ŠTULCOVÁ B. Transport of calcium by the placenta of the rat. 1

ŠTULCOVÁ B. *see* ŠTULC J. & ŠTULCOVÁ B. Transport of calcium by the placenta of the rat. 1

SUMMERLEE A.J.S. *see* JONES S.A. & SUMMERLEE A.J.S. Relaxin prolongs gestation and delivery time in the rat. (C) 181*P*

SUMMERLEE A.J.S. *see* ELTRINGHAM L., O'BYRNE K.T. & SUMMERLEE A.J.S. Opioids, from the adrenal glands, may mediate relaxin inhibition of oxytocin release in lactating rats. (C) 183*P*

SUNDSTROM L. *see* MELLANBY J.H. & SUNDSTROM L. Long-term reduction in excitability of rat dentate granule cells after tetanus toxin. (C) 49*P*

SUTTON J.R. *see* HEIGENHAUSER G.J.F., JONES N.L., KOWALCHUK J., MCCARTNEY N., SPRIET L.L. & SUTTON J.R. Muscle performance and metabolism in intermittent short-term maximal exercise in man. (PC) 282*P*

SUZUKI K. & PETERSEN O.H. Cholecystokinin activates K^+-channels via internal messenger in pig pancreatic acinar cells. (C) 158*P*

SZABO J.S. *see* FEWELL J.E., SZABO J.S., TAYLOR B.J. & WILLIAMS B.J. Habituation of the arousal response to upper airway obstruction in lambs. (PC) 234*P*

SZATKOWSKI M.S. & THOMAS R.C. Calculation of steady-state pH_i from pH_i changes caused by weak acids and bases in snail neurones. (C) 153*P*

TAKEWAKI T. *see* BENHAM C.D., BOLTON T.B., LANG R.J. & TAKEWAKI T. Calcium-activated potassium channels in single smooth muscle cells of rabbit jejunum and guinea-pig mesenteric artery. 45

TANNER B. *see* GODT R., GOOD P., MAUGHAN D., PERL D. & TANNER B. Cytosol constituents from frog skeletal muscle determined by laser micro-probe mass analysis. (C) 160*P*

TAYLOR B.J. *see* FEWELL J.E., SZABO J.S., TAYLOR B.J. & WILLIAMS B.J. Habituation of the arousal response to upper airway obstruction in lambs. (PC) 234*P*

TESSIER-LAVIGNE M. *see* ATTWELL D., MOBBS Peter, TESSIER-LAVIGNE M. & WILSON M. Noise changes associated with the action of glutamate on retinal bipolar cells from the salamander (*Ambystoma mexicanum*). (C) 39*P*

THEODOSIS Dennise T. *see* CROSS B.A., POULAIN D.A., THEODOSIS Dennise T. & VINCENT J.D. A videotape for teaching the principles of the milk-ejection reflex. (D) (T) 26*P*

THEODOSIS Dennise T. *see* FLINT A.P.F., SHELDRICK Elizabeth L., THEODOSIS Dennise T. & WOODING F.B.P. Storage of oxytocin and neurophysin in the secretory granules of ovine large luteal cells. (PC) 217*P*

THOMAS R.C. Eccentric double micropipette suitable both for pH_i micro-electrodes and for intracellular iontophoresis. (D) 24*P*

THOMAS R.C. *see* SZATKOWSKI M.S. & THOMAS R.C. Calculation of steady-state pH_i from pH_i changes caused by weak acids and bases in snail neurones. (C) 153*P*

THOMPSON F.D. *see* KONG C.H. & THOMPSON F.D. Cardiovascular responses to postural stress in patients with chronic renal failure. (C) 72*P*

THOMPSON S.W.N. *see* BLACKSHAW Susanna E. & THOMPSON S.W.N. Hyperpolarizing responses to stretch in neurones innervating body wall muscle in the leech. (C) 58*P*

THORNTON S.N. *see* BALDWIN B.A., HEAVENS R.P., KENDRICK K.M., PARROTT R.F., SHARMAN D.F. & THORNTON S.N. A method of withdrawal of c.s.f. or infusion of substances into the lateral cerebral ventricles of conscious pigs and sheep. (D) 9*P*

THRASHER T.N. *see* LEE M.E., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Elevated left heart pressure causes increases in plasma levels of atrial natriuretic peptide (ANP) in conscious dogs. (PC) 247*P*

THRASHER T.N. *see* BAXTER J.D., GARDNER D.G., METZLER C.H., RAMSAY D.J. & THRASHER T.N. Role of atrial natriuretic peptide (ANP) in mineralocorticoid escape in the dog. (PC) 249*P*

THULIN A. *see* ANDERSON L.C., GARRETT J.R. & THULIN A. Parotid gland function and nerves in streptozotocin-diabetic rats. (C) 130*P*

TINBERGEN J. *see* STAVENGA D.G. & TINBERGEN J. Light-dependence of mitochondrial activity and pupillary pigment migration in blowfly photoreceptors. (C) 33*P*

TIPPINS J.R. *see* GREENWALD S.E., LEVER M.J., MACINTYRE I., MORRIS H.R. & TIPPINS J.R. The effect of human calcitonin gene-related peptide (CGRP) on the pig coronary circulation. (C) 67*P*

TITCHEN D.A. & WOOD A.K.W. Pharyngeal and associated reactions in sheep during regurgitation. (D) (T) 27*P*

TITCHEN D.A. *see* REID A.M. & TITCHEN D.A. Reflex stimulation of parotid secretion in sheep after atropine and cervical sympathetic ganglionectomy. (C) 129*P*

TODD K. *see* LIGHTMAN S.L. & TODD K. Vasopressin activation of polyphosphoinositide metabolism in rat anterior pituitary *in vitro*. (PC) 277*P*

TONER J.N. *see* DAUNCEY M.J., INGRAM D.L., OSBORNE J.E. & TONER J.N. Radiotelemetry of deep body temperature from one piglet within a group. (D) 8*P*

TONGE D.A. *see* KNIGHT D.E. & TONGE D.A. Botulinum toxin type D blocks catecholamine secretion from isolated bovine adrenal medullary cells. (C) 155*P*

TOWERS J.D. *see* HAYLOR J., LOTE C.J. & TOWERS J.D. PGE excretion in alkaline urine: effect of urine flow and frusemide in the rat. (C) 98*P*

TREGEAR R.T. *see* SAYERS A.J. & TREGEAR R.T. An apparatus to study the mechanics of muscle fibres at temperatures below 0 °C. (D) (T) 27*P*

TRENCHARD D. A problem associated with apparent sensitivity of 'pulmonary' non-myelinated vagal afferent endings to increased $[H^+]$ and/or $[CO_2]$ in anaesthetized rabbits. (C) 104*P*

TRENEAR J.S. *see* MILLER N.G.A., ROSER B.J., STEPHENSON S. Paula & TRENEAR J.S. The use of new fluorochromes for identifying suppressor T cells in tolerance to tissue transplants. (D) (T) 27*P*

TUCKER Elizabeth M. *see* STEIN Janet M. & TUCKER Elizabeth M. L antigen and active potassium transport in HK and LK red cells of Barbary sheep. (PC) 219*P*

TURGEON J.L. & WARING D.W. Phorbol ester augmentation of luteinizing hormone-releasing hormone (LHRH)-induced secretion. (PC) 275*P*

TURNER Jill E. *see* LAURENT G.J., OLIVER M.H. & TURNER Jill E. Biochemical changes in the right ventricle resulting from bleomycin-induced lung fibrosis in the rabbit: a model of cardiac hypertrophy. (C) 28*P*

VAHOUNY G.V. *see* CASSIDY Marie M., FITZPATRICK L., LE T. & VAHOUNY G.V. Characteristics of enterocyte adaptation in the jejunum and colon of weanling rats fed a variety of semi-purified dietary fibres. (PC) 229*P*

VALLEJO M. *see* LIGHTMAN S.L. & VALLEJO M. Involvement of catecholamines in the central pressor effect of neuropeptide Y in rats. (C) 96*P*

VAN BEEK J.H.G.M. & ELZINGA G. Extravascular shunting of oxygen in the isolated saline-perfused rabbit heart. (C) 68*P*

VAN HELDEN D.F. *see* HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. The action potential and underlying ionic currents in proximal rat middle cerebral arterioles. 289

VAN HELDEN D.F. *see* HILL Caryl E., HIRST G.D.S., SILVERBERG G.D. & VAN HELDEN D.F. Sympathetic innervation and excitability of arterioles originating from the rat middle cerebral artery. 305

VAN KAN P.L.E. *see* GIBSON A.R., HARVEY C.F., HOUK J.C., KENNEDY P.R. & VAN KAN P.L.E. Significance of cortical input to the monkey red nucleus. (C) 47*P*

VAUGHAN-JONES R.D. *see* KAILA K. & VAUGHAN-JONES R.D. The effect of stimulation frequency upon intracellular pH, intracellular sodium and tension in sheep cardiac Purkinje fibres. (C) 171*P*

VENDER R.L. *see* CLEMMONS D.R., FRIEDMAN M. & VENDER R.L. Pulmonary endothelial cells in culture produce a vascular smooth-muscle cell mitogen(s) in response to hypoxia. (PC) 241*P*

VERGARA ESTERAS Patrocinio *see* HARRISON F.A., KING I.S. & VERGARA ESTERAS Patrocinio Somatostatin-like immunoreactivity in the alimentary tract of the sheep. (PC) 208*P*

VINCENT J.D. *see* CROSS B.A., POULAIN D.A., THEODOSIS Dennise T. & VINCENT J.D. A videotape for teaching the principles of the milk-ejection reflex. (D) (T) 26*P*

VØLLESTAD N.K. *see* GRØNNERØD O. & VØLLESTAD N.K. Quantitative analysis of histochemically stained sections of mammalian muscle. (D) 15*P*

VØLLESTAD N.K. *see* GREIG C., SARGEANT A.J. & VØLLESTAD N.K. Muscle force and fibre recruitment during dynamic exercise in man. (C) 176*P*

VOLSEN S.G. *see* ALLEN W.R., VOLSEN S.G. & WHYTE A. Cell–cell interactions associated with blastocyst implantation in equids. (PC) 204*P*

WACH R.A. *see* BARER Gwenda, BEE Denise, EMERY Celia & WACH R.A. Changed site of pulmonary vasoconstriction in chronically hypoxic rats. (C) 127*P*

WADDELL P.J. *see* LAWSON S.N. & WADDELL P.J. The antibody RT97 distinguishes between sensory cell bodies with myelinated and unmyelinated peripheral processes in the rat. (C) 59*P*

WALLWORK J. *see* HIGENBOTTAM T., JONES K., FITZPATRICK M. & WALLWORK J. The control of breathing following heart and lung transplantation in man. (C) 125*P*

WANGLER R.D. *see* BREUHAUS B.A., CHIMOSKEY J.E., SANEII H.H., SPARKS H.V. & WANGLER R.D. Synthetic (23-amino acid) atrial natriuretic peptide lowers cardiac output in conscious sheep and constricts coronary arteries in isolated guinea-pig hearts. (C) 82*P*

WANGO E. *see* HAMON Maureen, HEAP R.B., MORGAN G., WANGO E. & WOODING F.B.P. Steroid production by isolated binucleate cells from ruminant placenta. (PC) 218*P*

WARD B.S. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Effect of chloride replacement on the electrical activity of the pig placenta *in vitro*. (PC) 270*P*

WARD K.M. & WAREHAM A.C. Effects of denervation on Na^+ and K^+-activities of skeletal muscle of neonate rats. (PC) 269*P*

WARDLEY-SMITH Bridget *see* HALSEY M.J., HAWLEY Diane, MELDRUM B.S. & WARDLEY-SMITH Bridget The effect of kynurenic acid on the high-pressure neurological syndrome in the rat. (C) 64*P*

WARD P *see* LONGDON Molly, MEHTA J.G., MORRISSEY Shelagh M. & WARD P Effect of tripotassium dicitrate bismuthate (De-nol) on the differentiation and quantitation of mucosubstances in the guinea-pig gastric antrum. (PC) 228*P*

WARD T.A. *see* QUAYLE J.M., SMITH R.A.J. & WARD T.A. A low-cost system for on-line pulse generation, patch-clamp current sampling and analysis. (D) 13*P*

WAREHAM A.C. *see* WARD K.M. & WAREHAM A.C. Effects of denervation on Na^+ and K^+-activities of skeletal muscle of neonate rats. (PC) 269*P*

WARING D.W. *see* TURGEON J.L. & WARING D.W. Phorbol ester augmentation of luteinizing hormone-releasing hormone (LHRH)-induced secretion. (PC) 275*P*

WATARI H. *see* KANNO T., MATSUMOTO T., MURAKAMI M., SEO Y. & WATARI H. Phosphorus nuclear magnetic resonance in isolated perfused rat pancreas. (C) 133*P*

WAY B. *see* FOËX P., LE WINTER M. & WAY B. The end-ejection pressure-length relationship: hysteresis after acute increases in afterload in the intact canine heart. (C) 65*P*

WEBB Anne E. *see* ELLIS Susan T., HEAP R.B., PARIS Frances, STANLEY C.J. & WEBB Anne E. A rapid enzyme-amplified immunoassay for progesterone in bovine milk using a monoclonal antibody. (D) 2*P*

WEBB K.L. *see* BOYD C.A.R., GIBSON K., SHENNAN D.B. & WEBB K.L. Sulphate transport by human placental microvillus brush border membrane vesicles. (C) 167*P*

WESSLER I. *see* HALANK M., KILBINGER H. & WESSLER I. Facilitation by nicotinic autoreceptors of acetylcholine release from the rat phrenic nerve. (C) 62*P*

WEST D.C. *see* HEADLEY P.M., NICOLOPOULOS S., PARSONS C.G., WEST D.C. & WIK-LUND L. Evidence that an amino acid is an excitatory transmitter of the projection from periaqueductal grey to raphe magnus in the rat. (C) 51*P*

WEST John B. Determinants of human maximal exercise at extreme altitudes. (C) 123*P*

WHEELER C.P.D. & YUDILEVICH D.L. Rapid uptake of adenosine at maternal and fetal sides of the perfused guinea-pig placenta: inhibition by dipyridamole. (PC) 231*P*

WHITE G.N. *see* OGILVY K.A., RANDALL D.C. & WHITE G.N. Effect of β-adrenergic blockade on shortening of 'marginally ischaemic' myocardium during classical appetitive conditioning in baboon. (PC) 253*P*

WHITEHOUSE B.J. *see* PORTER I.D. & WHITEHOUSE B.J. Effect of field stimulation on the secretion of steroids by the perfused rat adrenal gland. (PC) 227*P*

WHITTERIDGE D. *see* ANDERSON J., GABBOTT P., MARTIN K. & WHITTERIDGE D. The function and intracortical connectivity of a Meynert cell in area 17 of the cat visual cortex. (C) 41*P*

WHITTERIDGE D. *see* ANAND Ashima, PAINTAL A.S. & WHITTERIDGE D. Phosgene stimulates J receptors and produces increased respiratory drive in cats. (C) 109*P*

WHYTE A. *see* ALLEN W.R., VOLSEN S.G. & WHYTE A. Cell–cell interactions associated with blastocyst implantation in equids. (PC) 204*P*

WIER W.G. *see* BERLIN J.R., CANNELL M.B., GOLDMAN W.F., LEDERER W.J., MARBAN E. & WIER W.G. Subcellular calcium inhomogeneity indicated by fura-2 develops with calcium overload in single rat heart cells. (C) 200*P*

WIGHAM C.G. *see* HODSON S.A. & WIGHAM C.G. Passive ion diffusion across ox corneal endothelium through the paracellular route. (C) 165*P*

WIGHAM C.G. *see* BRIGGS-DOKUBO S.T., LARKE J.R. & WIGHAM C.G. A method for the collection of human corneal-derived lactate *in vivo*. (C) 166*P*

WIK-LUND L. *see* HEADLEY P.M., NICOLOPOULOS S., PARSONS C.G., WEST D.C. & WIK-LUND L. Evidence that an amino acid is an excitatory transmitter of the projection from periaqueductal grey to raphe magnus in the rat. (C) 51*P*

WILLIAMS B.C. *see* BELL F.R., DAVIES Eleanor, EDWARDS C.R.W. & WILLIAMS B.C. The relation of endogenous angiotensin and aldosterone to inhibition by captopril of salt appetite evoked in steers. (C) 188*P*

WILLIAMS B.J. *see* FEWELL J.E., SZABO J.S., TAYLOR B.J. & WILLIAMS B.J. Habituation of the arousal response to upper airway obstruction in lambs. (PC) 234*P*

WILLIAMS C.A. The effects of adrenergic blockers and clonidine on the changes in blood pressure during muscle contractions in the cat. (C) 79*P*

WILSON M. *see* ATTWELL D., MOBBS Peter, TESSIER-LAVIGNE M. & WILSON M. Noise changes associated with the action of glutamate on retinal bipolar cells from the salamander (*Ambystoma mexicanum*). (C) 39*P*

WILSON M.G.A. *see* RALL J.A., WILSON M.G.A. & WOLEDGE R.C. Variation in tetanus force production per cross-sectional area in single fibres from frog skeletal muscle. (C) 169*P*

WILSON N. *see* COURNEYA C.A., LEDSOME J.R., RANKIN A.J. & WILSON N. Tachycardia releases immunoreactive atrial natriuretic peptide in the rabbit. (PC) 250*P*

WINNING A.J. *see* HAMILTON R.D. & WINNING A.J. Reversible blockade of the pulmonary chemoreflex and airway reflexes in dogs by local anaesthetic aerosol. (C) 111*P*

WOAKES A.J. *see* BUTLER P.J., STEPHENSON R. & WOAKES A.J. Variability of the heart rate response during voluntary diving in the tufted duck, *Aythya fuligula*. (C) 69*P*

WOLEDGE R.C. *see* RALL J.A., WILSON M.G.A. & WOLEDGE R.C. Variation in tetanus force production per cross-sectional area in single fibres from frog skeletal muscle. (C) 169*P*

WOOD A.K.W. *see* TITCHEN D.A. & WOOD A.K.W. Pharyngeal and associated reactions in sheep during regurgitation. (D) (T) 27*P*

WOODING F.B.P. *see* FLINT A.P.F., SHELDRICK Elizabeth L., THEODOSIS Dennise T. & WOODING F.B.P. Storage of oxytocin and neurophysin in the secretory granules of ovine large luteal cells. (PC) 217*P*

WOODING F.B.P. *see* HAMON Maureen, HEAP R.B., MORGAN G., WANGO E. & WOODING F.B.P. Steroid production by isolated binucleate cells from ruminant placenta. (PC) 218*P*

WOOD L.M. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Differential changes in the synaptic rhythm of caudal medullary expiratory bulbospinal neurones in response to hypothalamic stimulation in the cat. (C) 117*P*

WOOD S.C. *see* DUPRE R.K., HARTLEY R.S., HICKS J.W., MARTINEZ M.J. & WOOD S.C. The effect of hypoxia on temperature regulation: a comparative study. (PC) 222*P*

WOODS J.J. *see* BIGLAND-RITCHIE B., CAFARELLI E.J., JOHANSSON R.S. & WOODS J.J. Human E.m.g. and motoneurone discharge rates during sustained submaximal contractions. (C) 54*P*

WRAY D. *see* LANDE S., LANG B., NEWSOM-DAVIS J. & WRAY D. Site of action of Lambert-Eaton myasthenic syndrome antibodies at mouse motor nerve terminals. (C) 61*P*

WUARIN J.-P. *see* DREIFUSS J.J., RAGGENBASS M. & WUARIN J.-P. Tachykinins excite non-pyramidal neurones in rat hippocampus. (C) 50*P*

WURSTER R.D. *see* ARDELL J.L., GEIS G.S., RANDALL W.C. & WURSTER R.D. Selective innervation of sinoatrial and atrioventricular nodes in the canine heart. (C) 66*P*

YANG K.P. *see* BROOKS A.N., HAYNES N.B., LAMMING G.E. & YANG K.P. The effects of ovarian steroids upon opioid mediated LH suppression in the ewe. (C) 179*P*

YELVINGTON D.B. *see* RATNER A., ROSENTHAL M.J. & YELVINGTON D.B. Prolactin (PRL) and corticosterone (CORT) responses to footshock in sick and healthy rats. (PC) 276*P*

YOUNG J.D. *see* FINCHMAN D.A., MASON D.K. & YOUNG J.D. Chloride-activated sodium-dependent taurine transport in eel (*Anguilla japonica*) erythrocytes. (C) 162*P*

YUDILEVICH D.L. *see* WHEELER C.P.D. & YUDILEVICH D.L. Rapid uptake of adenosine at maternal and fetal sides of the perfused guinea-pig placenta: inhibition by dipyridamole. (PC) 231*P*

ZEBALLOS G. *see* CLARK D.A., DWECK H.S. & ZEBALLOS G. Fluid response to osmotic agents and calcium in the isolated rabbit intestinal loop. (PC) 230*P*

ZEKI S. *see* ROMAYA J. & ZEKI S. Rotatable, three-dimensional computer reconstruction of the macaque monkey brain. (D) 25*P*

ZICH K.E. *see* PAPPENHEIMER J.R. & ZICH K.E. Absorption of hydrophilic solutes from the rat small intestine. (C) 138*P*

ZYTNICKI D. *see* HARRISON P.J., JANKOWSKA E. & ZYTNICKI D. Lamina VIII interneurones interposed in crossed reflex pathways in the cat. 147